



References on the Administration of Calcitonin and Calcitriol Using ALZET® Osmotic Pumps

1. Calcitonin

Q7040: S. P. Yoon, *et al.* Exogenous CGRP upregulates profibrogenic growth factors through PKC/JNK signaling pathway in kidney proximal tubular cells. *Cell Biology and Toxicology* 2018;34(4):251-262

Agents: Calcitonin gene-related peptide, SP600125, chelerythrine, CGRP8-37 receptor antagonist **Vehicle:** Saline; DMSO;
Route: IP, Kidney (cortical region); **Species:** Mice; **Pump:** Not Stated; **Duration:** Not Stated;

ALZET Comments: Dose (30 ng/kg/d); 10% DMSO used; Controls received mp w/ vehicle; animal info (Male C57BL/6 mice aged 8 to 10 weeks); CGRP is a 37-amino acid neuropeptide; enzyme inhibitor (SP600125 is a c-Jun Nterminal protein kinase (JNK), and chelerythrine is a specific protein kinase C (PKC) inhibitor); CGRP infused to the cortical region of the denervated kidney via an ALZET intrathecal catheter. The catheter was anchored to the obstructed ureter, and osmotic pump placed SC; some mice were given CGRP8-37 (120 µg/kg/d), SP600125 (30 mg/kg/d), chelerythrine (5 mg/kg/d) or vehicle (0.9% saline or 10% DMSO in 0.9% saline) via IP pump.

Q7052: I. Rossetti, *et al.* Calcitonin gene-related peptide decreases IL-1beta, IL-6 as well as Ym1, Arg1, CD163 expression in a brain tissue context-dependent manner while ameliorating experimental autoimmune encephalomyelitis. *J Neuroimmunol* 2018;323(94-104

Agents: Calcitonin gene-related peptide **Vehicle:** CSF, artificial; **Route:** CSF/CNS (intrathecal); **Species:** Mice; **Pump:** 2002;
Duration: 2 weeks;

ALZET Comments: Controls received mp w/ vehicle; animal info (7-8 week old C57BL/6 female mice); peptides;

Q6434: N. Kawashima-Takeda, *et al.* RAMP1 suppresses mucosal injury from dextran sodium sulfate-induced colitis in mice. *J Gastroenterol Hepatol* 2017;32(4):809-818

Agents: Calcitonin gene-related peptide antagonist (8-37) **Vehicle:** Saline; **Route:** SC; **Species:** Mice; **Pump:** Not Stated;
Duration: 7 days;

ALZET Comments: animal info (Nine-week-old male C57BL/6 mice as wild type mice);

Q6507: E. Tavares, *et al.* Potential Role of Aminoprocaltitonin in the Pathogenesis of Alzheimer Disease. *American Journal of Pathology* 2016;186(10):2723-35

Agents: Neuroendocrine peptide aminoprocaltitonin, anti- **Vehicle:** PBS; **Route:** Not Stated; **Species:** Mice (transgenic);
Pump: 1004; **Duration:** 28 days;

ALZET Comments: Dose (500 ug/kg/day); animal info (Adult male C57BL/6 and APP/PS1 mice); neurodegenerative (Alzheimer Disease);

Q4655: J. G. Yan, *et al.* CALCITONIN PUMP IMPROVES NERVE REGENERATION AFTER TRANSECTION INJURY AND REPAIR. *MUSCLE & NERVE* 2015;51(229-234

Agents: Calcitonin **Vehicle:** Water, distilled sterile; **Route:** CSF/CNS (sciatic nerve); **Species:** Rat; **Pump:** 2006; **Duration:** 12 weeks;

ALZET Comments: Animal info (Sprague Dawley, 250-300g, 3 months old); half-life (p.233); long-term study; "To achieve a continuous and gradual mode of delivery, a mini-osmotic pump was implanted to deliver medication at a constant 0.15 ul/h" pg 233; "Calcitonin has short absorption and elimination half-lives of 10–15 minutes and 50–80 minutes, respectively; however, using an osmotic pump allows for gradual and prolonged release." pg233; pg230 diagram of pump implantation;

Q4618: Y. Toriyama, *et al.* Pathophysiological Function of Endogenous Calcitonin Gene-Related Peptide in Ocular Vascular Diseases. *American Journal of Pathology* 2015;185(1783-1794

Agents: Calcitonin gene-related peptide, alpha; calcitonin gene-related peptide (8-37), alpha **Vehicle:** PBS; **Route:** SC; **Species:** Mice; **Pump:** Not Stated; **Duration:** 7 days; 14 days;

ALZET Comments: Controls received mp w/ vehicle; animal info (CGRP -/-); immunology;



Q4547: F. R. Nieto, *et al.* Calcitonin Gene-Related Peptide-Expressing Sensory Neurons and Spinal Microglial Reactivity Contribute to Pain States in Collagen-Induced Arthritis. *Arthritis & Rheumatology* 2015;67(1668-1677

Agents: Calcitonin gene-related peptide (8-37) **Vehicle:** Not Stated; **Route:** CSF/CNS (intrathecal); **Species:** Rat; **Pump:** 2001; **Duration:** 7 days;

ALZET Comments: Controls received mp w/ vehicle; animal info (female, Lewis, 180-200g); behavioral testing (Von Frey filaments; Plantar test); immunology; peptides;

Q4135: E. Tavares, *et al.* Immunoneutralization of Endogenous Aminoprocalcitonin Attenuates Sepsis-Induced Acute Lung Injury and Mortality in Rats. *American Journal of Pathology* 2014;184(3069-3083

Agents: Antibody, anti-aminoprocalcitonin **Vehicle:** Saline; **Route:** IP; **Species:** Rat; **Pump:** 2001D; **Duration:** 18 hours;

ALZET Comments: Controls received mp w/ control antibody; animal info (male, Wistar, 280-300g); tissue perfusion (peritoneum); immunology; peptides; Catheter used to cannulate peritoneum;

Q5430: C. Sardi, *et al.* Involvement of calcitonin gene-related peptide and receptor component protein in experimental autoimmune encephalomyelitis. *J Neuroimmunol* 2014;271(1-2):18-29

Agents: Calcitonin gene-related peptide **Vehicle:** CSF, artificial; **Route:** CSF/CNS (intrathecal); **Species:** Mice; **Pump:** 2002; **Duration:** 14 days;

ALZET Comments: Controls received mp w/ vehicle; good methods (pg. 20); stress/adverse reaction: animal death (2/31 total) (see pg. 20); ALZET mouse intrathecal catheter used; encephalomyelitis model; Dose (50 pmol/hour CGRP);

Q4065: C. E. Riera, *et al.* TRPV1 Pain Receptors Regulate Longevity and Metabolism by Neuropeptide Signaling. *Cell* 2014;157(1023-1036

Agents: Calcitonin gene related peptide (8-37) **Vehicle:** Not Stated; **Route:** Not Stated; **Species:** Mice; **Pump:** Not Stated; **Duration:** 6 weeks;

ALZET Comments: Animal info (male, C57BL6J, 22 months old); functionality of mp verified by serum levels; peptides; diabetes;

Q4016: D. Navarro, *et al.* Late Maternal Hypothyroidism Alters the Expression of Camk4 in Neocortical Subplate Neurons: A Comparison with Nurr1 Labeling. *Cerebral Cortex* 2014;24(2694-2706

Agents: Parathormone (1-84), rat; calcitonin, rat **Vehicle:** Acetate buffer; **Route:** SC; **Species:** Rat; **Pump:** 2001; **Duration:** 22 days;

ALZET Comments: Animal info (female, Wistar, E0); replacement therapy (thyroidectomy); teratology;

Q3125: J. G. Yan, *et al.* The effect of calcium modulating agents on peripheral nerve recovery after crush. *Journal of Neuroscience Methods* 2013;217(1-2):54-62

Agents: Nifedipine; calcitonin **Vehicle:** Not Stated; **Route:** CSF/CNS (sciatic nerve); **Species:** Rat; **Pump:** 2006; **Duration:** 4 weeks;

ALZET Comments: Controls received mp w/ saline or sham only; animal info (3 month old, male, Sprague-Dawley 250-300g); functionality of mp verified by decrease in calcium levels; peptides; Picture of MP p56, Fig1A. MP Pump setup p56, Fig1B;

Q2170: L. Li, *et al.* Preimplantation antagonism of adrenomedullin action compromises fetoplacental development and reduces litter size. *Theriogenology* 2012;77(9):1846-1853

Agents: hADM22-52; calcitonin gene-related peptide (8-37) **Vehicle:** Saline; **Route:** SC; **Species:** Rat (pregnant); **Pump:** 1003D; **Duration:** 3 days;

ALZET Comments: Controls received mp w/ vehicle; animal info (Sprague Dawley, female, mature, 12-13 wks old); hADM22-52 is a ADM receptor blocker; hCALCA8-37 is a CALCA receptor antagonist

Q2997: D. Brown, *et al.* New insights into the dynamic regulation of water and acid-base balance by renal epithelial cells. *American Journal of Physiology Cell Physiology* 2012;302(10):C1421-C1433

Agents: Calcitonin **Vehicle:** Not Stated; **Route:** Not Stated; **Species:** Rat; **Pump:** Not Stated; **Duration:** 4, 12, 24 hours;

ALZET Comments: Animal info (Brattleboro rats); functionality of mp verified by measuring urine output and concentration; ALZET osmotic pumps used to infuse calcitonin to increase trafficking of aquaporin 2 vesicles in collecting duct. Effect is short lived, despite continued calcitonin delivery; might need dose adjustment; diabetes;



Q1310: S. J. Sample, *et al.* Role of Calcitonin Gene-Related Peptide in Bone Repair after Cyclic Fatigue Loading. PLoS One 2011;6(6):U98-U107

Agents: Calcitonin gene related peptide; calcitonin gene related peptide (8-37) **Vehicle:** Not Stated; **Route:** SC; **Species:** Rat; **Pump:** Not Stated; **Duration:** 10 days;

ALZET Comments: Controls received mp w/ saline; animal info (Sprague Dawley, male, 292-305 g, 67 days); CGRP (8-37) is a CGRP1 receptor antagonist; peptides

Q1449: R. Bouley, *et al.* Calcitonin Has a Vasopressin-like Effect on Aquaporin-2 Trafficking and Urinary Concentration. Journal of the American Society of Nephrology 2011;22(1):59-72

Agents: Calcitonin **Vehicle:** Saline; **Route:** SC; **Species:** Rat; **Pump:** Not Stated; **Duration:** 7 days;

ALZET Comments: Controls received mp w/ vehicle; pumps removed and new pump implanted after 10 days; animal info (Brattleboro, VP-deficient, adult, male)

Q0079: B. Morte, *et al.* Thyroid Hormone Regulation of Gene Expression in the Developing Rat Fetal Cerebral Cortex: Prominent Role of the Ca²⁺/Calmodulin-Dependent Protein Kinase IV Pathway. Endocrinology 2010;151(2):810-820

Agents: Parathyroid hormone (1-84); calcitonin, rat **Vehicle:** Acetate buffer; **Route:** SC; **Species:** Rat; **Pump:** 2001; **Duration:** Not Stated;

ALZET Comments: Controls received mp w/ vehicle; animal info (female, Wistar, adult, 250-300 g); replacement therapy (parathyroidectomy)

Q0003: P. Berbel, *et al.* Role of Late Maternal Thyroid Hormones in Cerebral Cortex Development: An Experimental Model for Human Prematurity. Cerebral Cortex 2010;20(6):1462-1475

Agents: Parathyroid hormone, rat (1-84); calcitonin, rat; thyroxine **Vehicle:** Acetate buffer; **Route:** SC; **Species:** Rat (pregnant); **Pump:** 2001; **Duration:** 4-8 days;

ALZET Comments: Teratology; peptides; animal info (Female, Wistar, 250-300 g); replacement therapy (parathyroidectomy)

P9799: B. R. Becklund, *et al.* Enhancement of 1,25-dihydroxyvitamin D₃-mediated suppression of experimental autoimmune encephalomyelitis by calcitonin. PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA 2009;106(13):5276-5281

Agents: Calcitonin, salmon **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** 1002; **Duration:** 14 days;

ALZET Comments: Controls received mp w/ vehicle; functionality of mp verified by residual volume; dose-response (Fig. 2); animal info (female, C57BL/6, 6 wks old)

P8805: S. S. Glaser, *et al.* Knockout of alpha-calcitonin gene-related peptide reduces cholangiocyte proliferation in bile duct ligated mice. LABORATORY INVESTIGATION 2007;87(9):914-926

Agents: Calcitonin gene-related peptide (8-37) **Vehicle:** Not Stated; **Route:** IP; **Species:** Mice; **Pump:** Not Stated; **Duration:** 3, 7 days;

ALZET Comments: Controls received mp w/ saline; animal info (male, C57BL/6, wt, a-CGRP, -/-, 20-25g., Bile duct ligation); peptides

P7608: C. F. Xia, *et al.* Postischemic infusion of adrenomedullin protects against ischemic stroke by inhibiting apoptosis and promoting angiogenesis. Experimental Neurology 2006;197(2):521-530

Agents: Adrenomedullin, human; calcitonin gene-related peptide (8-37) **Vehicle:** Saline; **Route:** SC; **Species:** Rat; **Pump:** Not Stated; **Duration:** 7, 14 days;

ALZET Comments: Controls received mp w/ vehicle; cardiovascular; peptides; ischemia (cerebral); animal info (male, Sprague-Dawley 220 g); "continuous and longterm infusion of AM starting at day 1 after I; MCAO

P6828: B. Z. Yuan, *et al.* Evidence for abnormal translational regulation of renal 25-hydroxyvitamin D-1alpha-hydroxylase activity in the Hyp-mouse. Endocrinology 2004;145(8):3804-3812

Agents: Parathyroid hormone, bovine 1-34; calcitonin, salmon **Vehicle:** Saline, physiological; cysteine hydrochloride; **Route:** SC; **Species:** Mice; **Pump:** 1003D; 2001; **Duration:** 12 hours;

ALZET Comments: Controls received mp w/ vehicle



P6472: H. Yin, *et al.* Adrenomedullin protects against myocardial apoptosis after ischemia/reperfusion through activation of Akt-GSK signaling. *Hypertension* 2004;43(1):109-116

Agents: Calcitonin gene-related peptide (8-37) **Vehicle:** Not Stated; **Route:** IP; **Species:** Rat; **Pump:** Not Stated; **Duration:** Not Stated;

ALZET Comments: Cardiovascular; peptides; ischemia (cardiac)

P5794: X. Qing, *et al.* Specific N-terminal CGRP fragments mitigate chronic hypoxic pulmonary hypertension in rats. *REGULATORY PEPTIDES* 2003;110(2):93-99

Agents: Calcitonin gene-related peptide (1-8), alpha-Rat; Calcitonin gene-related peptide (1-13), alpha-Rat; Calcitonin gene-related peptide (1-14), alpha-Rat **Vehicle:** Saline; Bacitracin; **Route:** IV (jugular); **Species:** Rat; **Pump:** 2002; **Duration:** 14 days;

ALZET Comments: Controls received mp w/ vehicle; antihypertensive; peptides; N-terminal rat alpha-CGRP (calcitonin gene-related peptide) was dissolved in saline with 1 mg/ml of Bacitracin & infused in either a 2002 (lower doses) or a 2ML2 (higher doses)

P5359: W. Wang, *et al.* Role of calcitonin in the rapid minute-to-minute regulation of plasma Ca²⁺ homeostasis in the rat. *European Journal of Clinical Investigation* 2002;32(9):674-681

Agents: Calcitonin, salmon **Vehicle:** Acetic acid; Sodium acetic; Sodium chloride; water, distilled; **Route:** SC; **Species:** Rat; **Pump:** 2ML1; **Duration:** 7 days; 24 hours;

ALZET Comments: Functionality of mp verified by calcitonin plasma levels

P5485: Y. Imai, *et al.* Resistance to neointimal hyperplasia and fatty streak formation in mice with adrenomedullin overexpression. *Arteriosclerosis, Thrombosis, and Vascular Biology* 2002;22(8):1310-1315

Agents: Calcitonin gene-related peptide (8-37) **Vehicle:** Not Stated; **Route:** IP; **Species:** Mice; **Pump:** 1002; **Duration:** 28 days;

ALZET Comments: Paper incorrectly states the release rate and duration of Model 1002 which delivers at 0.25 ul/hr for 14 days; CGRP is an adrenomedullin receptor antagonist; peptides

P6141: P. R. R. Gangula, *et al.* Sex steroid hormones enhance hypotensive effects of calcitonin gene-related peptide in aged female rats. *Biology of Reproduction* 2002;67(6):1881-1887

Agents: Calcitonin gene-related peptide **Vehicle:** Saline; **Route:** SC; **Species:** Rat; **Pump:** 2ML1; **Duration:** 4 days;

ALZET Comments: Blood pressure taken; peptides

P5575: P. R. R. Gangula, *et al.* Infusion of pregnant rats with calcitonin gene-related peptide (CGRP) (8-37), a CGRP receptor antagonist, increases blood pressure and fetal mortality and decreases fetal growth. *Biology of Reproduction* 2002;67(2):624-629

Agents: Calcitonin gene-related peptide (8-37) **Vehicle:** saline; **Route:** SC; **Species:** Rat (pregnant); **Pump:** 2ML2; **Duration:** Not Stated;

ALZET Comments: controls received mp with saline; stability verified by mass spectrometry for 14 days (p. 625); peptides; agent is a potent vasodilator

P6319: B. A. Dani, *et al.* Skeletal Effects of Parathyroid Hormone (1-34) in Ovariectomized Rats With or Without Concurrent Administration of Salmon Calcitonin. *Pharmsci* 2001;3(4):1-7

Agents: Parathyroid hormone, human 1-34; calcitonin, salmon **Vehicle:** Acetate buffer; saline; **Route:** SC; **Species:** Rat; **Pump:** 2004; **Duration:** 28 days;

ALZET Comments: Controls received mp w/ vehicle or sham ovx + mp w/ vehicle; functionality of mp verified by serum levels; replacement therapy (ovariectomy); comparison of daily PTH sc injections vs. mp; peptides

P4895: D. Q. Chu, *et al.* The calcitonin gene-related peptide (CGRP) antagonist CGRP(8-37) blocks vasodilatation in inflamed rat skin: involvement of adrenomedullin in addition to CGRP. *Neuroscience Letters* 2001;310(169-172)

Agents: Calcitonin gene-related peptide (8-37) **Vehicle:** Saline; BSA; **Route:** SC; **Species:** Rat; **Pump:** Not Stated; **Duration:** Not Stated;

ALZET Comments: controls received mp w/ vehicle; cardiovascular; peptides; CGRP (8-37) is a calcitonin gene related peptide antagonist. BSA was .01% in saline to prevent adsorption.



P4930: M. Buffelli, *et al.* In vivo acetylcholine receptor expression induced by calcitonin gene-related peptide in rat soleus muscle. *Neuroscience* 2001;104(2):561-567

Agents: Calcitonin gene-related peptide **Vehicle:** Saline; **Route:** Intramuscular (soleus); **Species:** Rat; **Pump:** 2002; **Duration:** Not Stated;

ALZET Comments: controls received mp w/ vehicle; tissue perfusion (soleus muscle extrajunctional surface); peptides

P4828: M. Buffelli, *et al.* The use of in vivo direct drug application to assess neural regulation of muscle properties. *Journal of Neuroscience Methods* 2001;106(113-120

Agents: Tetrodotoxin; potassium chloride; calcitonin gene-related peptide **Vehicle:** Saline; Dye, methylene blue; **Route:** Intramuscular (soleus); **Species:** Rat; **Pump:** 2001; 2002; **Duration:** 3 - 8 days;

ALZET Comments: Controls received mp w/ vehicle; tissue perfusion (soleus muscle); detailed methods for catheter construction and surgical procedures (p. 114 - 115); Lynch coil technique used; pump filled w/ saline and agents loaded in modified PE-100 tubing; solutions separated by oil drop; pumps w/ various flow rates were tested but model 2002 was chosen because its small flow rate permits to avoid excessive fluid accumulation on muscle surface; diagram of pump-catheter assembly and location (p. 114); peptides

P4623: S. J. Wimalawansa, *et al.* Pre-eclamptic toxemia: potential new therapy based on animal studies. *Ceylon Medical Journal* 1998;43(138-144

Agents: L-NAME; Calcitonin gene-related peptide **Vehicle:** Saline, sterile;; **Route:** SC;; **Species:** Rat(pregnant);; **Pump:** 2ML1;; **Duration:** 1 week;;

ALZET Comments: controls received mp w/ vehicle; peptides; CGRP and L-NAME or vehicle delivered from separate pumps concomitantly.

P3929: M. G. Tordoff, *et al.* Calcium intake by rats: influence of parathyroid hormone, calcitonin, and 1,25-dihydroxyvitamin D. *American Journal of Physiology Regulatory, Integrative, and Comparable Physiology* 1998;274(43):R214-R231

Agents: Parathyroid hormone; Calcitonin; Vitamin D, 1,25-dihydroxy- **Vehicle:** NaCl; HCl; Cysteine; Saline, isotonic; **Route:** SC; **Species:** Rat; **Pump:** 2002; **Duration:** 13 days;

ALZET Comments: controls received sham tubing; functionality of mp verified by hormone assays; replacement therapy (thyroidectomy, thyroparathyroidectomy); dose-response; stress/adverse reaction: high doses led to animal death; peptides; agents given singly and in combination

P4110: M. Reinshagen, *et al.* Calcitonin gene-related peptide mediates the protective effect of sensory nerves in a model of colonic injury. *J. Pharmacol. Exp. Ther* 1998;286(2):657-661

Agents: Calcitonin gene-related peptide (8-37) **Vehicle:** Saline; **Route:** SC; **Species:** Rat; **Pump:** 2001; **Duration:** 7 days;

ALZET Comments: controls received mp w/vehicle; CGRP (8-37) is a calcitonin receptor antagonist; peptides

P3917: J. M. Hutson, *et al.* Congenital undescended testes in neonatal pigs and the effect of exogenous calcitonin gene-related peptide. *J. Urol* 1998;159(1025-1028

Agents: Calcitonin gene-related peptide **Vehicle:** Not Stated; **Route:** scrotal; **Species:** pig (neonate); **Pump:** 2002; **Duration:** 2 weeks;

ALZET Comments: controls received mp w/PBS; tissue perfusion (undescended testes); replacement therapy (cryptorchidism); dose-response; peptides; "Injection of excess CGRP into the scrotum may delay descent...the pig model has overcome some of these difficulties as the o

P3547: P. R. Gangula, *et al.* Progesterone up-regulates vasodilator effects of calcitonin gene-related peptide in NG-nitro-L-arginine methyl ester-induced hypertension. *American Journal of Obstetrics & Gynecology* 1997;176(894-900

Agents: L-NAME; Calcitonin gene-related peptide **Vehicle:** Saline, sterile; **Route:** SC; **Species:** Rat (pregnant); **Pump:** 2ML2; **Duration:** no duration posted;

ALZET Comments: controls received mp w/ saline; peptides; agents given singly and concomitantly in the same pump; cardiovascular



P4223: M. Li, *et al.* A comparison of the skeletal effects of intermittent and continuous administration of calcitonin in ovariectomized rats. *Bone* 1996;18(4):375-380

Agents: Calcitonin, salmon **Vehicle:** Saline; Benzyl alcohol; Gelatin; **Route:** Not Stated; **Species:** Rat; **Pump:** Not Stated; **Duration:** 6 weeks;

ALZET Comments: controls received mp w/vehicle; functionality of mp verified by calcitonin plasma levels by radioimmunoassay; comparison of s.c. injections vs. mp; pumps replaced after 3 weeks; peptides

P3194: C. Hemmingsen, *et al.* Regulation of renal calbindin-D28K: the role of calcitonin. *Calcified Tissue International* 1995;56(372-375)

Agents: Calcitonin, salmon **Vehicle:** Aminocaproic acid; HCl; **Route:** Not Stated; **Species:** Rat; **Pump:** 2ML1; **Duration:** 4 days;

ALZET Comments: controls received mp with vehicle

P2283: G. Golomb, *et al.* A new route of drug administration: intrauterine delivery of insulin and calcitonin. *Pharmaceut. Res* 1993;10(6):828-833

Agents: Calcitonin, human **Vehicle:** Not Stated; **Route:** intrauterine; SC; **Species:** Rat; **Pump:** 2001; **Duration:** 14 days;

ALZET Comments: tissue perfusion (uterus); dose-response (graph, p.832); comparison of polyurethane matrices vs mp

P1714: A. J. Yates, *et al.* A noncyclical analog of salmon calcitonin (N-a-propionyl di-Ala1,7,des-Leu19 sCT) retains full potency without inducing anorexia in rats. *Endocrinology* 1990;126(6):2845-2849

Agents: Calcitonin analog; Calcitonin, synthetic salmon **Vehicle:** Gelatin; Saline; **Route:** SC; **Species:** mice; **Pump:** 2001;

Duration: 48 hours;

ALZET Comments: pumps were reimplanted in a second animal; analog is RG-12851

Q5639: G. Davidai. Normal Regulation of Calcitriol Production in Gy Mice. *Journal of Clinical Investigation* 1990;85(2):334-9

Agents: Parathyroid hormone, bovine; calcitonin **Vehicle:** Saline, cysteine hydrochloride; **Route:** SC; **Species:** mice; **Pump:** 2001; **Duration:** 7 days;

ALZET Comments: Controls received mp w/ vehicle; animal info (4-5 wk old); Dose: calcitonin (2 IU/ul), PTH (1 IU/ul);

Q5594: T. Nesbitt. Calcitonin Stimulation of Renal 25-Hydroxyvitamin D-1a-Hydroxylase Activity in Hypophosphatemic Mice. *Journal of Clinical Investigation* 1987;79(15-19)

Agents: Calcitonin, Parathyroid hormone **Vehicle:** Saline, Physiologic; **Route:** SC; **Species:** Mice; **Pump:** 2001; **Duration:** 3, 6, 12, 18, 24, 48 and 72 hrs;

ALZET Comments: Controls received mp w/ vehicle; dose-response (0.1, 0.375, 0.5, 0.75, 1.0, or 1.25 IU/h); Multiple pumps per animal (2); Animals receiving

both hormones were implanted through separate skin incisions with two pumps. "To control the uniformity of the applied stimulus, we used surgically implantable Alzet osmotic minipumps...

for continuous subcutaneous infusion of

calcitonin." pg 15; Dose (0.5 IU/hr);

P1087: Z. Bouizar, *et al.* Down-regulation of rat kidney calcitonin receptors by salmon calcitonin infusion evidenced by autoradiography. *Proc. Natl. Acad. Sci* 1987;84(5125-5128)

Agents: Calcitonin, salmon **Vehicle:** Aminocaproic acid; **Route:** SC; **Species:** Rat; **Pump:** 2002; **Duration:** 1, 4, 7 days;

ALZET Comments: controls received mp w/vehicle; dose-response; mp primed w/saline 12 hours before implantation; stability; peptides

P0863: P. Jaeger, *et al.* Evidence that calcitonin stimulates 1,25-dihydroxyvitamin D production and intestinal absorption of calcium in vivo. *J. Clin. Invest* 1986;78(456-461)

Agents: Calcitonin **Vehicle:** Not Stated; **Route:** SC; **Species:** Rat; **Pump:** 2002; **Duration:** 6-12 days;

ALZET Comments: controls received sham implantation; replacement therapy (thyroparathyroidectomy); peptides

P1252: C. Rebut-Bonneton, *et al.* Effect of calcitonin in pregnant rats on bone resorption in fetuses. *J. Endocrinol* 1983;99(3):347-353



Agents: Calcitonin, salmon **Vehicle:** Albumin, bovine serum; PBS; **Route:** SC; **Species:** Rat (pregnant); **Pump:** Not Stated; **Duration:** 5 days;

ALZET Comments: pump model not stated; replacement therapy (thyroparathyroidectomy); peptides

P0031: J. F. Obie, *et al.* Loss of calcemic effects of calcitonin and parathyroid hormone infused continuously into rats using the ALZET osmotic minipump. *J. Pharmacol. Exp. Ther* 1979;209(3):422-428

Agents: Calcitonin; Parathyroid hormone, bovine **Vehicle:** Cysteine HCl; HCl; Saline; **Route:** SC; **Species:** Rat; **Pump:** Not Stated; **Duration:** 7 days;

ALZET Comments: organ replacement therapy (thyroparathyroidectomy); peptides

P0272: J. W. Bastian, *et al.* (Calcitonin: consideration of its dosage and other aspects). In 'Calcitoninia: Nuove Acquisizioni e Prospettive,' G. De Bastiani, A. Pecile, V. Pietrogrande, and C. Sirtori (eds.), Fondazione Carlo Erba, Milano (Italian) 1979;

Agents: Calcitonin, salmon **Vehicle:** Not Stated; **Route:** SC; **Species:** Rat; **Pump:** Not Stated; **Duration:** 1-14 days;

ALZET Comments: comparison of human vs. animal data; intermittent vs. mp infusion; peptides

2. Calcitriol

Q8436: A. L. Deluque, *et al.* Effect of Calcitriol on the Renal Microvasculature Differentiation Disturbances Induced by AT1 Blockade During Nephrogenesis in Rats. *Front Med (Lausanne)* 2020;7(23)

Agents: Calcitriol **Vehicle:** Saline; **Route:** SC; **Species:** Rat; **Pump:** 2004; **Duration:** 4 week;

ALZET Comments: Dose (6 ng/day); 0.9% NaCl used; Controls received mp w/ vehicle; animal info (Female and male Wistar rats); Blood pressure measured via tail cuff method; 120.6 mmHg - 132.9 mmHg; cardiovascular;

Q4377: C. L. Chou, *et al.* Beneficial Effects of Calcitriol on Hypertension, Glucose Intolerance, Impairment of Endothelium-Dependent Vascular Relaxation, and Visceral Adiposity in Fructose-Fed Hypertensive Rats. *PLoS One* 2015;10(U2028-U2046)

Agents: Calcitriol **Vehicle:** PEG; **Route:** SC; **Species:** Rat; **Pump:** 2002; **Duration:** 4 weeks;

ALZET Comments: Animal info (male, Wistar-Kyoto, 200-230g); functionality of mp verified by residual volume; pumps replaced every 2 weeks; post op. care (penicillin SC injection 5000 U/kg); bp measured using tail cuff;

Q3664: T. Takenaka, *et al.* Calcitriol Supplementation Improves Endothelium-Dependent Vasodilation in Rat Hypertensive Renal Injury. *KIDNEY & BLOOD PRESSURE RESEARCH* 2014;39(17-27)

Agents: Calcitriol **Vehicle:** Not Stated; **Route:** SC; **Species:** Rat; **Pump:** Not Stated; **Duration:** 6 weeks;

ALZET Comments: Controls received mp w/ vehicle; animal info (male, Spontaneously hypertensive rats, stroke-prone, 8 weeks old); cardiovascular; long-term study;

Q3219: R. Goyal, *et al.* Characterization of an animal model of pregnancy-induced vitamin D deficiency due to metabolic gene dysregulation. *American Journal of Physiology Endocrinology and Metabolism* 2014;306(3):E256-E266

Agents: Calcitriol **Vehicle:** Ethanol; propylene glycol; **Route:** SC; **Species:** Rat; **Pump:** 2004; **Duration:** Not Stated;

ALZET Comments: Control animals received mp w/ vehicle; animal info (Sprague Dawley, P9); 50% ethanol used; 50% propylene glycol used

Q5540: G. Duque, *et al.* Pharmacological inhibition of PPARgamma increases osteoblastogenesis and bone mass in male C57BL/6 mice. *J Bone Miner Res* 2013;28(3):639-48

Agents: Calcitriol **Vehicle:** DMSO; **Route:** SC; **Species:** Mice; **Pump:** Not Stated; **Duration:** 6 weeks;

ALZET Comments: Controls received mp w/ vehicle; animal info (9 month old); 15% DMSO used; Dose (18pm/d); Therapeutic indication (osteoporosis);

P8449: K. D. Goodwin, *et al.* Preventing oxidative stress in rats with aldosteronism by calcitriol and dietary calcium and magnesium supplements. *American Journal of the Medical Sciences* 2006;332(2):73-78

Agents: Aldosterone; calcitriol **Vehicle:** Not Stated; **Route:** SC; **Species:** Rat; **Pump:** 2004; 2ML4; **Duration:** 4 weeks;

ALZET Comments: Controls received no treatment; replacement therapy (uninephrectomy); cardiovascular; animal info (male, Sprague-Dawley, 8 wks old)



P4473: A. Szabo, *et al.* Physiological doses of calcium regulatory hormones do not normalize bone cells in uraemic rats. *European Journal of Clinical Investigation* 1999;29(529-535

Agents: Parathyroid hormone (1-34); Calcitriol; **Vehicle:** Cysteine; Propylene glycol; Saline;; **Route:** Not Stated; **Species:** Rat;; **Pump:** 2002;; **Duration:** 14 days;;

ALZET Comments: controls received mp w/vehicle; replacement therapy (parathyroidectomy; nephrectomy); peptides;

P3236: J. F. Long, *et al.* Comparative effects of calcitriol and parathyroid hormone on serum aluminum in vitamin D-depleted rabbits fed an aluminum-supplemented diet. *Res. Commun. Chem. Pathol. Pharmacol* 1994;83(1):3-14

Agents: Calcitriol; Parathyroid hormone (1-34) **Vehicle:** Cysteine; HCl; Saline; **Route:** Not Stated; **Species:** rabbit; **Pump:** Not Stated; **Duration:** 7 days;

ALZET Comments: functionality of mp verified by serum levels; peptides

P2142: T. Shimozawa, *et al.* Enhancement of vasoconstrictor response by a noncalcemic analogue of vitamin D3. *Hypertension* 1993;21(2):253-258

Agents: Oxacalcitriol, 22-; Vitamin D3, 24,25-dihydroxy-; Vitamin D3, 1,25-dihydroxy- **Vehicle:** Propylene glycol; **Route:** SC; **Species:** Rat; **Pump:** 2002; **Duration:** 14 days;

ALZET Comments: no comment posted

P2664: A. J. Brown, *et al.* The mechanism for the disparate actions of calcitriol and 22-oxacalcitriol in the intestine. *Endocrinology* 1993;133(3):1158-1164

Agents: Oxacalcitriol, 22-; Vitamin D3, 1,25-dihydroxy- **Vehicle:** Propylene glycol; **Route:** SC; **Species:** Rat; **Pump:** 2002; **Duration:** 3 days;

ALZET Comments: controls received mp w/ vehicle; comparison of ip injections vs. mp; agent is 1,25-(OH)2D3

P2356: J. F. Long, *et al.* Effect of calcitriol infusions on serum aluminum in vitamin D-depleted rabbits fed an aluminum-supplemented ration. *Res. Commun. Chem. Pathol. Pharmacol* 1991;74(1):89-104

Agents: Calcitriol **Vehicle:** Propylene glycol; **Route:** SC; **Species:** rabbit; **Pump:** Not Stated; **Duration:** 7, 28 days;

ALZET Comments: functionality of mp verified by plasma levels; toxicology

P1502: S. N. Popoff, *et al.* Treatment of congenital osteopetrosis in the rabbit with high-dose 1,25-dihydroxyvitamin D. *J. Bone and Min. Res* 1989;4(1):57-67

Agents: Calcitriol **Vehicle:** Propylene glycol; **Route:** SC; **Species:** rabbit; **Pump:** Not Stated; **Duration:** 2 weeks;

ALZET Comments: dose-response; functionality of mp verified by serum levels

P1656: S. Patel, *et al.* Effect of vitamin D metabolites on calcitriol metabolism in experimental renal failure. *Kidney Int* 1989;36(234-239

Agents: Calcitriol; Vitamin D3, 1,25-dihydroxy- **Vehicle:** Ethanol; Propylene glycol; **Route:** SC; **Species:** Rat; **Pump:** 2001; **Duration:** 1 week;

ALZET Comments: functionality of mp verified by measuring residual volume

P1654: J. F. Long, *et al.* Serum calcitriol and parathyroid hormone levels following prolonged infusion of calcitriol in vitamin D replete and depleted rabbits. *Res. Commun. Chem. Pathol. Pharmacol* 1989;64(2):273-286

Agents: Calcitriol **Vehicle:** Propylene glycol; **Route:** SC; **Species:** rabbit; **Pump:** 2ML1; 2ML4; **Duration:** 7, 28 days;

ALZET Comments: functionality of mp verified by serum calcitriol levels; dose-response (graphs); 3 doses of calcitriol infused

P0508: A. M. Parfitt, *et al.* Calcitriol but no other metabolite of vitamin D is essential for normal bone growth and development in the rat. *J. Clin. Invest* 1984;73(576-586

Agents: Calcitriol **Vehicle:** Propylene glycol; **Route:** SC; **Species:** Rat; **Pump:** 2002; **Duration:** 40 days;

ALZET Comments: comparison of calcitriol or OHD2 po 3x/wk vs. mp infusion; intermittent oral dosing; mp replaced every 2 weeks; no stress implied by the normal growth of the animals