



References on the Administration of Agents to Dogs Using ALZET® Osmotic Pumps

Q5980: W. Shangguan, *et al.* Angiotensin-(1-7) attenuates atrial tachycardia-induced sympathetic nerve remodeling. *J Renin Angiotensin Aldosterone Syst* 2017;18(3):1470320317729281

ALZET Comments: Ang (1-7); IV (jugular); Dog; 14 days; Controls received mp w/ vehicle; animal info (12-14 kg); cardiovascular; Pacemaker also implanted; Therapeutic indication (Atrial tachycardia); Dose (6 ug/kg/h);

Q5112: J. Zhao, *et al.* The potential role of atrial natriuretic peptide in the effects of Angiotensin-(1-7) in a chronic atrial tachycardia canine model. *J Renin Angiotensin Aldosterone Syst* 2016;17(1):1470320315627409

ALZET Comments: Angiotensin (1-7); A-71915; IV (jugular); Dog; 14 days; animal info (mongrel, 13-17 kg); cardiovascular; peptides; A-71915 is an ANP receptor antagonist; Dose (Ang (1-7) 6 ug/kg/hr; A-71915 0.3 ug/kg/hr); "Ang-(1-7) dose was selected because 6 ug/kg/h is verified as the highest dose that wouldn't affect blood pressure in our preliminary study" pg 2;

Q3960: J. Y. Lee, *et al.* Simultaneous Inferior Alveolar Nerve Regeneration and Osseointegration With a Nerve Growth Factor-Supplying Implant: A Preliminary Study. *Journal of Oral and Maxillofacial Surgery* 2015;73(4):410-423

ALZET Comments: Nerve growth factor, human B-; PBS; CSF/CNS (inferior alveolar nerve); Dog (beagle); 2ML2; 6 weeks; Controls received mp w/ vehicle; animal info (male, beagle, 18 weeks old, 10-12 kg); good methods (picture of implant pg 413); Multiple pumps per animal (2; one pump delivered NGF other delivered PBS); used rat jugular catheter, 15 cm long; pump body placed into retromandibular area; long-term study;

Q5012: J. K. a. M.-S. Kim. The Evaluation of Osmotic Pump as Glaucoma Drug Delivery System in Normal Dogs. *Pakistan Veterinary Journal* 2015;35(2):239-241

ALZET Comments: Dorzolamide; timolol; SC (Eye); Dog; 2004; 24 days; Controls received no mp; Controls received no mp; "Osmotic pump, as one of the constant drug delivery systems, can be placed in the subcutaneous pocket with minimal surgical skills, and continuously administer the wanted drugs into the target regions" pg 241; picture of implantation pg 240; Interesting (use of pump in veterinary application);

Q3753: X. W. Wang, *et al.* Angiotensin-(1-7) Prevent Atrial Tachycardia Induced Sodium Channel Remodeling. *PACE-PACING AND CLINICAL ELECTROPHYSIOLOGY* 2014;37(13):1349-1356

ALZET Comments: Angiotensin (1-7); IV (jugular); Dog (mongrel); Animal info (male, female, 11-15 kg); peptides.

Q3534: M. Klarica, *et al.* "COMPENSATED HYPEROSMOLARITY" OF CEREBROSPINAL FLUID AND THE DEVELOPMENT OF HYDROCEPHALUS. *Neuroscience* 2013;248(1):278-289

ALZET Comments: Sucrose; CSF/CNS; Dog; 2ML1; 7 days; Controls received mp w/ isomolar solution; animal info (adult, 11.0-25.0 kg); Cannula placement verified via visual inspection using trypan blue dye; used 25g cannula; used two stainless steel screws and dental acrylate to fix cannula; hydrocephalus;

Q2331: M. Harada, *et al.* Transient Receptor Potential Canonical-3 Channel-Dependent Fibroblast Regulation in Atrial Fibrillation. *Circulation* 2012;126(17):2051-U112

ALZET Comments: Pyrazole-3; DMSO; polyethylene glycol; IV; Dog; 2ML1; 7 days; Control animals received mp w/ vehicle; animal info (mongrel, 20-36 kg, atrial fibrillation).

R0267: P. W. Coneannon, *et al.* Endocrine control of ovarian function in dogs and other carnivores. *Animal Reproduction* 2009;6(1):172-193

ALZET Comments: Nafarelin, aza-gly; SC; Dog (beagle); Animal info (ovariectomized); Aza-gly Nafarelin is a GnRH agonist.

P9505: P. W. Concannon, *et al.* Effects of dose and duration of continuous GnRH-agonist treatment on induction of estrus in beagle dogs: Competing and concurrent up-regulation and down-regulation of LH release. *Theriogenology* 2009;66(14):1488-1496



ALZET Comments: Wy-40972; SC; Dog (beagle); 2ML1; 2ML2; 2ML4; 7, 8, 12, 14 days; Controls received mp w/ saline; animal info (1.2-6 years old; 9-16 kg, ovario-hysterectomy); Wy-40972 is a LHRH agonist; also known as lutrelin.

Q5571: M. Guarnieri, *et al.* Catheters for chronic administration of drugs into brain tissue. *Methods in molecular research* 2008;437(109-117)

ALZET Comments: Carboplatin; CSF/CNS; Monkey; Rat; dog; 7 days; functionality of mp verified by residual volume; Carboplatin brain tissue distribution;

P8480: A. Levy, *et al.* Extrapolating from animal studies to the efficacy in humans of a pretreatment combination against organophosphate poisoning. *Archives of Toxicology* 2007;81(5):353-359

ALZET Comments: Caramiphen; SC; Dog; 2001; 2ML1; 48 hours; Animal info (beagle, male, 14-16 kg); Functionality of mp verified by plasma levels; toxicology; pharmacokinetics.

P9013: M. S. Ruggieri, *et al.* Functional reinnervation of the canine bladder after spinal root transection and immediate end-on-end repair. *Journal of Neurotrauma* 2006;23(7):1125-1136

ALZET Comments: Brain-derived neurotrophic factor; CSF/CNS (intrathecal); Dog; 2002; 14 days; Controls received mp w/ saline; dose-response; peptides; post io. care (ketoprofen); animal info (female, mongrel hound, 6-12 months old, 18-22 kg., bladder denervation); mp connected to silicone cuff surrounding spinal cord root bundles (2).

P7144: M. Miyauchi, *et al.* Chronic nicotine in hearts with healed ventricular myocardial infarction promotes atrial flutter that resembles typical human atrial flutter. *American Journal of Physiology-Heart and Circulatory Physiology* 2005;288(6):H2878-H2886

ALZET Comments: Nicotine; SC; Dog (mongrel); 2ML4; 28 days; Functionality of mp verified by nicotine plasma levels; MRI; multiple pumps per animal (2).

P7601: M. R. Batista, *et al.* Chronic estradiol and progesterone treatment in conscious dogs: effects on insulin sensitivity and response to hypoglycemia. *American Journal of Physiology-Regulatory Integrative and Comparative Physiology* 2005;289(4):R1064-R1073

ALZET Comments: Estradiol; Saline; SC; Dog; 2ML4; 3 weeks; Controls received mp w/ vehicle; no stress (see pg. R1065); animal info (female, mongrel, 1 yr, hypoglycemia).

P6259: T. Yokota, *et al.* Functional and anatomical effects of hormonally induced experimental prostate growth: A urodynamic model of benign prostatic hyperplasia (BPH) in the beagle. *PROSTATE* 2004;58(2):156-163

ALZET Comments: Dihydrotestosterone, 5 alpha-; Estradiol, 17B-; SC; Dog; 2ML4; 28 days; Animal info (Beagle, 3.5-7.2 yrs); testosterone induced BPH animal model.

P6756: T. Sasaki, *et al.* Role of p38 mitogen-activated protein kinase on cerebral vasospasm after subarachnoid hemorrhage. *Stroke* 2004;35(6):1466-1470

ALZET Comments: FR167653; IV (jugular); Dog; 7 days; Animal info (7.5-17 kg); controls received mp w/ physiological saline; functionality of mp verified by serum FR167653 levels; enzyme inhibitor (p38MAPKinase); cardiovascular; ischemia (cerebral).

P6627: K. Doh-ura, *et al.* Treatment of transmissible spongiform encephalopathy by intraventricular drug infusion in animal models. *JOURNAL OF VIROLOGY* 2004;78(10):4999-5006

ALZET Comments: Quinacrine; chloroquine; amphotericin B; E-64d; pentosan polysulfate; PBS; water, distilled; DMSO; SC; CSF/CNS; Rat; mice; dog (mongrel); 2 months; 4 weeks; Controls received mp w/ vehicle; dose-response (fig. 2); no stress (see pg. 5004); stress/adverse reaction: (see pg. 5002) PPS at highest dose (20mg/kg/day) showed hemorrhage in the SC area surrounding the mp; enzyme inhibitor (cysteine protease [E-64d]); long-term study.

P5417: G. Weckbecker, *et al.* SOM230: A new somatostatin peptidomimetic with potent inhibitory effects on the growth hormone/insulin-like growth factor-I axis in rats, primates, and dogs. *Endocrinology* 2002;143(10):4123-4130



ALZET Comments: Octreotide; SOM230; Water, sterile; SC; Rat; monkey; dog; 2002; 2ML1; 2ML2; 7, 14, or 56 days; Controls received mp w/ vehicle; functionality of mp verified by IGF-I plasma levels; long-term study, pumps replaced every 2 weeks; peptides; Somatostatin analogs; 2002 pumps used in rats; 2ML2 used in monkeys; 2ML1 pumps used in dogs; octreotide also called SMS 201-995.

P7118: D. B. Gilberto, *et al.* Use of three infusion pumps for postoperative administration of buprenorphine or morphine in dogs. *JAVMA* 2002;220(11):1655-1660

ALZET Comments: Buprenorphine; SC; Dog; 2ML1; 48 hours; Animal info (young adult, beagle or mixed breed, 8.4-12.8 kg); Functionality of mp verified by residual volume and serum buprenorphine levels; comparison of infudisk, pegasus vs. ALZET vs. mp; multiple pumps per animal (3,4); mp primed overnight in sterile saline; paper provides list of most possible negative outcomes. Upon pump removal the incisions were closed with tissue glue; ALZET pump was the most cost effective method; wound clips used.

P4992: S. M. Zhou, *et al.* Modulation of QT interval by cardiac sympathetic nerve sprouting and the mechanisms of ventricular arrhythmia in a canine model of sudden cardiac death. *Journal of Cardiovascular Electrophysiology* 2001;12(1068-1073)

ALZET Comments: Nerve growth factor; Saline; Albumin, bovine serum; CSF/CNS (stellate ganglion); dog; 2ML4; 5 weeks; controls received mp w/ vehicle; tissue perfusion (left and right stellate ganglion); cardiovascular; peptides; vehicle was saline with 0.1% bovine serum albumin.

P5145: Y. Meshulam, *et al.* Prophylaxis against organophosphate poisoning by sustained release of scopolamine and physostigmine. *Journal of Applied Toxicology* 2001;21(S75-S78)

ALZET Comments: Scopolamine; Physostigmine; Propylene glycol; Ethanol; Water; Acetic acid, glacial; SC; Dog; 2001; 24 or 48 hours; functionality of mp verified by plasma scopolamine & physostigmine levels; dose-response (table, p. S77); toxicology; vehicle was 10% ethanol, 20% PG, 70% water, 0.0035% AA; mentions benefits of infusion via pump (p. S77).

Q6821: P.-S. Chena, *et al.* Sympathetic nerve sprouting, electrical remodeling and the mechanisms of sudden cardiac death. *Cardiovascular Research* 2001;50(409-416)

ALZET Comments: Nerve Growth Factor; CSF/CNS (left stellate ganglion); Dog; 2 weeks; cardiovascular;.

P5557: H. Senzaki, *et al.* b-blockade prevents sustained metalloproteinase activation and diastolic stiffening induced by angiotensin II combined with evolving cardiac dysfunction. *Circulation Research* 2000;86(807-815)

ALZET Comments: Angiotensin II; Acetic acid; IV; Dog; 2ML1; 6-7 days; Cardiovascular; peptides.

P4763: S. Meier, *et al.* The induction of parturition in the bitch using sodium cloprostenol. *Theriogenology* 2000;54(457-465)

ALZET Comments: Cloprostenol, sodium;; SC;; dog (pregnant);; 2001;; Dose-response (graph p. 460); varying doses (0.875 - 4.5 ug/kg - day); higher doses caused polydipsia.

P4480: Y. Ueda, *et al.* Glycoprotein IIb/IIIa antagonist FK633 could not prevent neointimal thickening in stent implantation model of canine coronary artery. *Arterioscler. Thromb. Vasc. Biol* 1999;19(343-347)

ALZET Comments: FK-633; SC;; dog;; 2ML4;; 3 months;; controls received mp w/ vehicle; long-term study, pump replaced after 1 and 2 months; no stress (p. 344); cardiovascular;.

R0210: J. M. Meythaler. Intrathecally delivered medications for spasticity and dystonia. *Spinal Drug Delivery* 1999;513-529

ALZET Comments: Baclofen; SC; Dog; 28 days;

P4590: H. Senzaki, *et al.* Synergistic exacerbation of diastolic stiffness from short-term tachycardia-induced cardiodepression and angiotensin II. *Circ. Res* 1998;82(503-512)

ALZET Comments: Angiotensin II; Acetic acid; dog;; 4-7 days;; controls received mp w/angiotensin II only; functionality of mp verified by plasma levels; stability verified by HPLC; peptides, cardiovascular;.



P3779: J. R. Watts, *et al.* Calcium cloprostenol administered at a continuous low dosage induces luteolysis and abortion in bitches. *Theriogenology* 1997;48(1313-1328)

ALZET Comments: Cloprostenol, calcium; Water, sterile; SC; dog; 2001; 7 days; controls received mp w/vehicle; dose-response; no stress (see pg. 1318); toxicology; "The miniosmotic pump was well tolerated..and its insertion and removal were easy." (pg. 1318).

P3898: T. Mori, *et al.* An improved canine model of subarachnoid hemorrhage using intrathecal indwelling catheters. *J. Vet. Med. Sci* 1997;59(9):825-828

ALZET Comments: Dye, toluidine blue; Saline; CSF/CNS (subarachnoid space, intrathecal); dog; 2ML1; 7 days; no stress (see pg. 826); controls received mp w/saline; comparison of injections vs. mp; brain tissue distribution.

P4511: S. M. Fitzgerald, *et al.* Systemic hemodynamic responses to chronic angiotensin II infusion into the renal artery of dogs. *Am. J. Physiol. (Regulatory Integrative Comp. Physiol. 42)* 1997;273(R1980-R1989)

ALZET Comments: Angiotensin II; IV (inferior vena cava); dog;; 2ML4;; 28 days;; peptides;.

P3740: C. Chen, *et al.* Boundary layer infusion of nitric oxide reduces early smooth muscle cell proliferation in the endarterectomized canine artery. *J. Surg. Res* 1997;67(26-32)

ALZET Comments: Proline, l-; Proline, nitric oxide-; NaOH; IA (femoral); dog; 2ML2; 7 days; controls received mp w/ proline to contralateral vessel; stability verified by in vitro assay; half-life (pg. 27); cardiovascular; constructed local infusion device and attached to mp via catheter.

P4428: S. G. Mattar, *et al.* Local infusion of FGF-Saporin reduces intimal hyperplasia. *Journal of Surgical Research* 1996;60(339-344)

ALZET Comments: Fibroblast growth factor; saporin;; Sodium citrate; NaCl; EDTA;; IA (carotid);; dog;; 2002;; 14 days;; controls received mp w/vehicle; stability verified for 14 days by cellular assay; peptides; Saporin- FGF2 conjugate was infused; pump placed externally; Saporin is a potent ribosome-inactivating protein.

P4646: C. Chen, *et al.* Transgraft infusion of heparin to prevent early thrombosis of expanded PTFE grafts in canine femoral veins. *Ann. Vasc. Surg* 1996;10(147-155)

ALZET Comments: Heparin;; PBS;; IV (femoral);; dog;; 2ML2;; 14 days;; controls received mp w/ vehicle; functionality of mp verified by pump residual volume & reservoir tubing patency; infusion to a vascular graft;.

P3388: K. Sundquist, *et al.* Altering tooth eruption by blocking bone resorption - the local delivery of bafilomycin A1. *Connective Tissue Res* 1995;32(1-4):159-163

ALZET Comments: Bafilomycin A1; DMSO; Saline; bone; dog; 2002; no duration posted; contralateral controls received mp w/vehicle; tissue perfusion (bone crypts of mandibular fourth molar).

P3359: S. C. Marks Jr, *et al.* Bafilomycin A1 in bone resorption and tooth eruption in dogs. *Eur. J. Oral Sci* 1995;103(231-235)

ALZET Comments: Bafilomycin A1; DMSO; Saline; bone; dog; 1, 3, 4 weeks; tissue perfusion (bone crypts of mandibular fourth molar); pumps replaced at 2 weeks.

P3095: R. N. Willette, *et al.* Nonpeptide endothelin antagonist. Cerebrovascular characterization and effects on delayed cerebral vasospasm. *Stroke* 1994;25(12):2450-2456

ALZET Comments: SB-209670; CSF/CNS (cisterna); dog; 2ML1; 7 days; controls received mp with vehicle; +/- SB-209670 is a non-peptide endothelin antagonist.

P2777: W. Wang. Chronic administration of aldosterone depresses baroreceptor reflex function in the dog. *Hypertension* 1994;24(571-575)

ALZET Comments: Aldosterone; Saline; SC; dog; 2ML2; 10 days; controls received mp w/ saline.

P2976: K. T. Sundquist, *et al.* Bafilomycin A1 inhibits bone resorption and tooth eruption in vivo. *J. Bone and Min. Res* 1994;9(10):1575-1582



ALZET Comments: Bafilomycin A1; DMSO; Saline; bone; dog; no duration posted; controls received mp w/ vehicle or no treatment; tissue perfusion (bone crypts of mandibular fourth molar); stability verified in vitro for 2 weeks at 37 degrees C; enzyme inhibitor; dogs given prophylactic im penicillin for first postoperative week; local infusion used because systemic delivery may cause lethal side effects; bafilomycin A1 is a specific inhibitor of vacuolar H⁺-ATPases.

P3232: J. A. Leal, *et al.* A-75998 and other GnRH antagonists suppress testosterone in male beagle dogs. A comparison of single injection, multiple injections and infusion administration. *Endocrine* 1994;2(921-927)

ALZET Comments: A-75998; RS-26306; Propylene glycol; Saline; Sodium acetate buffer; SC; dog; 1003D; 3 days; comparison of single and 5x daily injections vs. mp; infusion dose was four-fold lower than daily injection for same results.

P3059: K. Yoshimura, *et al.* Physical dependence on morphine induced in dogs via the use of miniosmotic pumps. *J. Pharm. & Tox. Meth* 1993;30(2):85-95

ALZET Comments: Morphine HCl; Saline; SC; dog; 2ML1; 8 days; functionality of mp verified by plasma levels; comparison of injections vs. mp; dependence; infusion plasma levels were 1/5 the maximal concentration of injected animals, and were far more stable.

P2527: S. C. Miller, *et al.* Local stimulation of new bone formation by prostaglandin E1: quantitative histomorphometry and comparison of delivery by minipumps and controlled-release pellets. *Bone* 1993;14(143-151)

ALZET Comments: Prostaglandin E1; Emulphor; Ethanol; bone (mandible); dog; 3 weeks; controls received undiluted vehicle which was 1:1 mixture of Emulphor:80% ETOH; tissue perfusion (bone); comparison of pellets vs. mp; pumps replaced weekly; authors state that subperiosteal bone formation was greater for comparable doses when PGE1 was delivered by minipumps as compared to pellets.

P3203: W. T. Johnson, *et al.* Effects of systemic and topical nicotine on pulpal blood flow in dogs. *Endod. Dent. Traumatol* 1993;9(71-74)

ALZET Comments: Nicotine; SC; dog; 28 days; controls received mp with saline; comparison of topical nicotine vs. mp.

P3192: Y. Himura, *et al.* Cardiac noradrenergic nerve terminal abnormalities in dogs with experimental congestive heart failure. *Circulation* 1993;88(1299-1309)

ALZET Comments: Norepinephrine; SC; dog; 2ML4; 8 weeks; controls received mp with saline; long-term study, pumps replaced after 3-4 weeks.

P2110: A. Yonezawa, *et al.* Chronic clonidine treatment and its termination: effects on penile erection and ejaculation in the dog. *Life Sci* 1992;51(1999-2007)

ALZET Comments: Clonidine HCl; Saline; SC; dog; 2ML4; 4 weeks; tolerance; antihypertensive.

P2035: J. M. Stewart, *et al.* Chronic elevation of norepinephrine in conscious dogs produces hypertrophy with no loss of LV reserve. *Am. J. Physiol* 1992;262(31):H331-H339

ALZET Comments: Norepinephrine; SC; dog; 2ML4; 28 days; an additional pump was implanted sc on day 10 to maintain plasma levels of norepinephrine p. 332.

P3071: A. J. Nichols, *et al.* Effect of fenoldopam on the acute and subacute nephrotoxicity produced by amphotericin B in the dog. *J. Pharmacol. Exp. Ther* 1992;260(1):269-274

ALZET Comments: Fenoldopam mesylate; Water, distilled; Citric acid; Propylene glycol; Sodium metabisulfate; IV (jugular); dog; 2ML2; no duration posted; controls received mp with vehicle; multiple pumps per animal (2).

P3311: S. C. Marks Jr, *et al.* Local induction of alveolar bone in adult dogs by infusion of prostaglandin E1. *Biological Mechanisms of Tooth Movement and Craniofacial Adaptation* 1992;137-143

ALZET Comments: Prostaglandin E1; Emulphor; Ethanol; bone (mandible); dog; 3 weeks; controls received mp w/vehicle; tissue perfusion (bone); comparison of pellets vs. mp; pumps replaced weekly; "...we estimated that PGE delivered by minipump produces 25 to 30% more bone than the same amount of starting material delivered by pellet." (p.139).



- P2342:** K. Kiuchi, *et al.* Mechanisms of alpha-adrenergic vascular desensitization in conscious dogs. *Circ. Res* 1992;71(5):1185-1199
ALZET Comments: Amidephrine mesylate; Saline; SC; dog; 3,4 weeks; pumps replaced weekly; multiple pumps per animal (2 or 3) to elevate AMD levels (pg.1186).
- P2409:** M. B. Patel, *et al.* Altered function and structure of the heart in dogs with chronic elevation in plasma norepinephrine. *Circulation* 1991;84(5):2091-2100
ALZET Comments: Norepinephrine; SC; dog; 2ML4; 28 days; no comment posted.
- P1940:** H. Kobayashi, *et al.* Cerebral vasospasm and vasoconstriction caused by endothelin. *Neurosurgery* 1991;28(5):673-679
ALZET Comments: Endothelin-1; Water; CSF/CNS (intrathecal); dog; 2001; 7 days; controls received sham op or mp w/ water; peptides.
- P1853:** G. K. Johnson, *et al.* Effects of topical and systemic nicotine on gingival blood flow in dogs. *J. Dent. Res* 1991;70(5):906-909
ALZET Comments: Nicotine sulfate; SC; dog; 28 days; no comment posted.
- P3140:** S. C. Marks, *et al.* Site-directed formation of new lamellar bone in adult dogs by infusion of prostaglandin E1. In ' Fundamentals of bone growth : methodology and applications', A. D. Dixon, B. G. Sarnat and D. A. N. Hoyte (eds), CRC Press, Boca Raton 1990;Chp. 37):375-381
ALZET Comments: Prostaglandin E1; Emulphor; Ethanol; bone (mandible); dog; 5 weeks; control side of mandible received mp with vehicle; tissue perfusion (bone); long-term study, pumps replaced weekly; each dog served as its own control -- one mp with PGE1 to one side and one with vehicle to the other side of mandible; pump implanted in superficial neck tissues; dogs given penicillin orally (100,000 U/d) for first post-operative week.
- P1601:** M. Doursout, *et al.* Effect of gender on centrally induced angiotensin II hypertension in dogs. *Hypertension* 1990;15(2):117-120
ALZET Comments: Angiotensin II; CSF/CNS; dog; 2ML4; 4 weeks; peptides.
- P1727:** A. Albino-Teixeira, *et al.* Purine agonists prevent trophic changes caused by sympathetic denervation. *Eur. J. Pharmacol* 1990;179(141-149)
ALZET Comments: Adenosine; Adenosine, N-ethylcarboxamido-; Inosine; Norepinephrine; IV (saphenous); dog; 2ML1; no duration posted; functionality of mp verified by inspecting catheter for clots, observing collapsed pump reservoir, and measuring residual drug solution.
- P1476:** A. A. Teixeira, *et al.* Sympathetic denervation caused by long-term noradrenaline infusions; prevention by desipramine and superoxide dismutase. *Br. J. Pharmacol* 1989;97(95-102)
ALZET Comments: Desipramine HCl; Norepinephrine; tempol; EDTA; Heparin; Saline; IV (saphenous); dog; 2ML1; 5 days; dose-response; implanted sc above the knee; functionality of mp verified by visual inspection of sectioned pump and by serum levels; tissue perfusion; animal info (m, 9-15 kg); 5000 Units of heparin.
- P1453:** K. Fogh, *et al.* 15-Hydroxy-eicosatetraenoic acid (15-HETE) inhibits carrageenan-induced experimental arthritis and reduces synovial fluid leukotriene B4 (LTB4). *Prostaglandins* 1989;37(2):213-228
ALZET Comments: HETE, 15-; Saline; knee (articular cavity); dog; 2ML2; 2ML4; 10 days; tissue perfusion (knee joint).
- P3028:** S. C. Marks Jr, *et al.* Local infusion of prostaglandin E1 stimulates mandibular bone formation in vivo. *J. Oral Pathol* 1988;17(500-505)
ALZET Comments: Prostaglandin E1; Emulphor; Ethanol; bone (mandible); dog; 3 weeks; controls received mp with vehicle; tissue perfusion (bone); pumps replaced weekly; stability: 70% of original activity after 1 week at 37 degrees C; penicillin given for 1 week post-surgery.



P1415: R. A. Guilmette, *et al.* Reducing the radiation dose from inhaled americium-241 using continuously administered DTPA therapy. *Int. J. Radiat. Biol* 1988;53(2):261-271

ALZET Comments: ZnDTPA; Saline; SC; dog; 2ML4; 64 days; comparison of iv injections vs. mp infusion; functionality of mp verified in vitro; pump replaced at day 28 and 50; ZnDTPA is a chelating agent; long-term study.

P0994: H. H. Malluche, *et al.* Calcitriol, parathyroid hormone, and accumulation of aluminum in bone in dogs with renal failure. *J. Clin. Invest* 1987;79(754-761

ALZET Comments: Parathyroid hormone, bovine 1-34; Albumin; HCl; Saline; SC; dog; 2001; 8 months; controls received mp w/vehicle; pumps replaced every 12 days; replacement therapy (thyroparathyroidectomy); no stress (see pg. 755); long-term study.

P1056: B. D. King, *et al.* Absence of hypertension despite chronic marked elevations in plasma norepinephrine in conscious dogs. *Hypertension* 1987;9(582-590

ALZET Comments: Norepinephrine; SC; dog; 2ML4; 28 days; dose-response; functionality of mp verified.

P1027: M. Ader, *et al.* Recombinant deoxyribonucleic acid-derived 22K- and 20K-human growth hormone generate equivalent diabetogenic effects during chronic infusion in dogs. *Endocrinology* 1987;120(2):725-731

ALZET Comments: Growth hormone, human; SC; dog; 2ML2; 12 days; pumps primed in sterile water overnight before implantation; functionality of mp verified upon removal.

P0866: H. H. Malluche, *et al.* 1,25-Dihydroxyvitamin D maintains bone cell activity, and parathyroid hormone modulates bone cell number in dogs. *Endocrinology* 1986;119(3):1298-1304

ALZET Comments: Parathyroid hormone, bovine 1-34; Albumin; HCl; Saline; SC; dog; 2002; 8 months; controls rec'd mp w/vehicle; pumps replaced every 12 days; mp infusion of PTH in comb. with vit. D treatment; replacement therapy (thyroparathyroidectomy); no stress or infection (see p.1299); long-term study; peptides.

P3090: T. P. Wright, *et al.* Comparison of indium 111-labeled platelets v leukocytes in a pyogenic abscess. *Arch Surg* 1985;120(137-141

ALZET Comments: Morphine sulfate; SC; dog; 2ML1; no duration posted; Immunology; multiple pumps per animal (2).

P0752: G. I. McRae, *et al.* Long-term reversible suppression of oestrus in bitches with nafarelin acetate, a potent LHRH agonist. *J. Reprod. Fertil* 1985;74(2):389-397

ALZET Comments: Nafarelin acetate; Propylene glycol; Water; SC; dog; 2002; 2ML4; 18 months; comparison of injection vs. infusion; pump replaced after 2 or 4 weeks; long-term study; dose-response data; contraception in dogs; peptides.

P0674: T. Liu, *et al.* Effect of a cyclic hexapeptide analog (L363,586) of somatostatin on the function of pancreas grafts in dogs. *J. Surg. Res* 1985;39(1):39-45

ALZET Comments: L-363586; Saline; SC; dog; 2ML1; 1 week; exocrine inhibition promotes transplant acceptance; comparison of timing of drug delivery and grafting; L-363586 is a cyclic hexapeptide somatostatin analog; transplantation; half-life in dogs is 40 min. and in human is 1 hour.

P0717: R. J. Kempainen, *et al.* Effects of continuous a(1-24)ACTH infusion in the dog. *Horm. Metab. Res* 1985;17(58-62

ALZET Comments: ACTH (1-24), a-; IV (jugular); dog; 2ML1; 2 weeks; mp replaced on day 7; dose-response data; controls received empty mp; mp attached to silastic rubber catheter in jugular vein; peptides.

R0059: J. W. Fara. Physiological limitations: gastric emptying and transit of dosage forms. In 'Rate Control in Drug Therapy,' L. F. Prescott and W. S. Nimmo (eds.), Churchill Livingstone, New York 1985;144-150

ALZET Comments: PO; dog; no duration posted; ALZA-authored; pump swallowed empty; gastric transit comparison of objects varying in size, swallowed w/ or w/o a meal.

P0759: A. Beck, *et al.* Angiotensin-induced hypertension in conscious dogs: biochemical parameters and baroreceptor reflex. *Cardiovasc. Res* 1985;19(11):721-726



ALZET Comments: Angiotensin II; Isoproterenol; Ascorbic acid; Water; IV (jugular); dog; 2ML4; 28 days; mp connected to tygon catheter in jugular vein; mp implanted sc; dose-response data (plasma levels and blood pressure); agents infused simultaneously; hypertension; peptides.

P0455: T. Oshima, *et al.* Pharmacological manipulation of canine cyclooxygenase and thromboxane synthetase in vivo: differential renal and platelet recovery rates. *J. Pharmacol. Exp. Ther* 1984;229(2):598-602

ALZET Comments: Acetylsalicylic acid; DMSO; Saline; IV (superficial cervical vein); dog; 2ML1; 3 days; pumps primed for 4 hrs. before implant; used prefilled catheter in vein; greater solubility of ASA in DMSO allowed greater concentration in smaller total volume.

P0524: M. Levy, *et al.* Subacute endotoxemia in dogs with experimental cirrhosis and ascites: effects on kidney function. *Can. J. Physiol. Pharmacol* 1984;32(6):673-677

ALZET Comments: Endotoxin, *E. coli*; Saline; IV (jugular); dog; 2001; 2ML1; 1 week; used diff. pumps in same animal to deliv. variable dosage; solubility of endotoxin in mp max. of 12-15 mg/ml; functionality of mp verified.

P0545: J. Holtz, *et al.* Development of specific tolerance to nicotine infusions in dogs on chronic nicotine treatment. *Klin. Wochenschr* 1984;62(2):51-57

ALZET Comments: Nicotine salicylate; Saline; Sodium salicylate; SC; dog; 5-8 weeks; comparison of acute iv infusion/ injec vs. chronic mp infusion; pump replaced every week; long-term study; no stress p. 53; pumping rate verified at 38C; infection at implant site in 1 dog.

P0501: M. Chvapil, *et al.* Development of topical BAPN delivery system for acute spinal cord injury in dogs. *J. Biomed. Mater. Res* 1984;18(7):757-769

ALZET Comments: Aminopropionitrile fumarate, B-; CSF/CNS (intrathecal); dog; 2ML2; no duration posted; Author states use of 2ML2 pump w/ delivery rate of 10ul/h - this is an error; delivery rate verified - possibly a 2ML1 mp was used; advantages of mp p. 768; spinal cord injury.

P0400: R. W. Stevenson, *et al.* Changes in plasma calcium and in radiocalcium kinetics after termination of 5-week infusions of synthetic parathyroid peptide in dogs. *Acta Endocrinol* 1983;104(4):62-67

ALZET Comments: Parathyroid hormone, human 1-34; Caproic acid, E-amino-; SC; dog; 4 weeks; pump replaced every week; mp used to avoid infection associated with 4 wk. iv cannula; no stress (infection) see p. 463; peptides.

P0325: R. Podbesek, *et al.* Effects of two treatment regimes with synthetic human parathyroid hormone fragment on bone formation and the tissue balance of trabecular bone in greyhounds. *Endocrinology* 1983;112(3):1000-1006

ALZET Comments: Parathyroid hormone, human 1-34; SC; dog; 5-6 months; comparison of pulsatile injec. vs. mp infusion; pump replaced weekly; comparison of human clinical data vs. animal; long-term study; peptides.

P0179: R. D. Podbesek, *et al.* Treatment with human parathyroid hormone fragment (hPTH 1-34) stimulates bone formation and intestinal calcium absorption in the greyhound: comparison with data from the osteoporosis trial. 7th Int'l. Conf. on Calcium Regulating Hormones, Estes Park, Colorado, Sept. 5-9, 1980. In 'Hormonal Control of Calcium Metabolism,' D. V. Cohn and R. V. Talmage (eds.), Excerpta Medica, Amsterdam 1981;118-123

ALZET Comments: Parathyroid hormone, human 1-34; SC; dog; 6-8 months; pumps replaced; long-term study; comparison of intermittent injections vs. infusion; peptides.

P0089: B. H. Vickery, *et al.* Manipulation of duration of action of a synthetic prostaglandin analogue (TPT) assessed in the pregnant beagle bitch. *Prostaglandins Med* 1980;5(2):93-100

ALZET Comments: Prostaglandin analog (TPT); Ethanol; Sodium phosphate; SC; dog; 1-2 days; comparison of injections sc vs. infusion.