



References on the Administration of Ganciclovir Using ALZET® Osmotic Pumps

Q9293: I. Jakovcevski, *et al.* Impact of Depletion of Microglia/Macrophages on Regeneration after Spinal Cord Injury. *Neuroscience* 2021;459(129-141)

Agents: Ganciclovir **Vehicle:** PBS; **Route:** SC; **Species:** Mice; **Pump:** 1004; **Duration:** 28 days;

ALZET Comments: Dose (50 mg/ml); animal info (three-month-old female TK mice); spinal cord injury;

Q8599: L. Katsouri, *et al.* Ablation of reactive astrocytes exacerbates disease pathology in a model of Alzheimer's disease. *Glia* 2020;68(5):1017-1030

Agents: Ganciclovir **Vehicle:** Saline; **Route:** CSF/CNS (right lateral ventricle); **Species:** Mice; **Pump:** Not stated; **Duration:** 2 weeks;

ALZET Comments: Dose (11 µg/ul/hr); Controls received mp w/ vehicle; animal info (APP23/GFAP-TK double transgenic mice, 9 months old); behavioral testing (Object location task; Y maze); Ganciclovir aka GCV; neurodegenerative (Alzheimer's disease);

Q8450: N. Drost, *et al.* The Amyloid-beta rich CNS environment alters myeloid cell functionality independent of their origin. *Scientific Reports* 2020;10(1):7152

Agents: Ganciclovir **Vehicle:** CSF, Artificial; **Route:** CSF/CNS (right lateral ventricle); **Species:** Mice; **Pump:** 2001; 2004; **Duration:** 6 weeks;

ALZET Comments: Dose (2.5 mg); animal info (APPPS1 mice; CX3CR1-GFP mice; CD11b-HSVTK+/- mice); Ganciclovir aka Cymeven; neurodegenerative (Alzheimer's disease);

Q9094: P. Varma, *et al.* Targeting Seizure-Induced Neurogenesis in a Clinically Relevant Time Period Leads to Transient But Not Persistent Seizure Reduction. *Journal of Neuroscience* 2019;39(35):7019-7028

Agents: Ganciclovir **Vehicle:** Saline; **Route:** SC; **Species:** Mice; **Pump:** 2004; **Duration:** 8 weeks;

ALZET Comments: Dose (150 mg/kg/day); Controls received mp w/ vehicle; animal info (6 weeks old); pumps replaced every 4 weeks; neurodegenerative (Seizure);

Q7949: E. Butti, *et al.* Neural Stem Cells of the Subventricular Zone Contribute to Neuroprotection of the Corpus Callosum after Cuprizone-Induced Demyelination. *J Neurosci* 2019;39(28):5481-5492

Agents: ganciclovir **Vehicle:** water, double distilled; **Route:** SC; **Species:** Mice; **Pump:** 2002; **Duration:** 4 weeks;

ALZET Comments: Dose (100 mg/kg/d); Controls were WT and received mp w/ agent; animal info (6-8 weeks, female, C57BL/6 and NestinTK); pumps replaced every 2 weeks; neurodegenerative (multiple sclerosis);

Q6925: S. Kalin, *et al.* CNS myeloid cells critically regulate heat hyperalgesia. *J Clin Invest* 2018;128(7):2774-2786

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** CSF/CNS (lateral ventricle); **Species:** Mice (transgenic); **Pump:** 2002; **Duration:** 4 weeks;

ALZET Comments: animal info (150- to 200-dayold adult male hemizygous CD11b-HSVTK (TK) mice (4) or their transgene-negative littermates); ALZET brain infusion kit used;

Q7908: Z. C. Hesp, *et al.* Proliferating NG2-Cell-Dependent Angiogenesis and Scar Formation Alter Axon Growth and Functional Recovery After Spinal Cord Injury in Mice. *J Neurosci* 2018;38(6):1366-1382

Agents: Ganciclovir **Vehicle:** Saline, physiological; **Route:** CSF/CNS (lateral ventricle); **Species:** Mice; **Pump:** 1002; 1007D; **Duration:** 7, 11, 14 days;

ALZET Comments:

Q7124: M. Cusimano, *et al.* Selective killing of spinal cord neural stem cells impairs locomotor recovery in a mouse model of spinal cord injury. *J Neuroinflammation* 2018;15(1):58

Agents: Ganciclovir **Vehicle:** Water; **Route:** SC; **Species:** Mice; **Pump:** 2002; **Duration:** 28 days;

ALZET Comments: Dose (100 mg/kg/day); animal info (NestinTK); pumps replaced every 2 weeks; neurodegenerative (Spinal Chord);



Q5714: W. Xu, *et al.* Myelin Basic Protein Regulates Primitive and Definitive Neural Stem Cell Proliferation from the Adult Spinal Cord. *Stem Cells* 2017;35(2):485-496

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** CSF/CNS (lateral ventricle); **Species:** Mice; **Pump:** 1007D; **Duration:** 5 days;
ALZET Comments: animal info (GFAP-TK); spinal cord injury; Brain Coordinates (0.2 mm AP from bregma, 0.7 mm ML, and 2.5 mm DV below the dura);

Q5885: R. L. Reeve, *et al.* Quiescent Oct4(+) Neural Stem Cells (NSCs) Repopulate Ablated Glial Fibrillary Acidic Protein(+) NSCs in the Adult Mouse Brain. *Stem Cells* 2017;35(9):2071-2082

Agents: Ara-C; ganciclovir **Vehicle:** Not Stated; **Route:** CSF/CNS (lateral ventricle); **Species:** Mice; **Pump:** 1007D; **Duration:** 3 days; 7 days; 14 days;

ALZET Comments: animal info (Oct4 CKO;tk); Brain coordinates (10.2 mm anterior, 10.7 mm lateral, depth of 2.5 mm below the skull, relative to bregma)

Q5822: M. Nakano, *et al.* NG2 glial cells regulate neuroimmunological responses to maintain neuronal function and survival. *Sci Rep* 2017;7(42041)

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** CSF/CNS (left lateral ventricle); **Species:** Rat; **Pump:** SMP-300, iPRECIO; **Duration:** Not Stated;

ALZET Comments: Controls animals were sham operated or infused with vehicle; animal info (NG2-HSVtk, 12-35 weeks old); ALZET brain infusion kit 1 used; immunology; Therapeutic indication (Neuroimmunology, neuroinflammation, neural development); Dose (0.01, 0.1, 0.5, 1.0, and 10 mg/ml);

Q6356: J. Mircetic, *et al.* Development of a genetic sensor that eliminates p53 deficient cells. *Nat Commun* 2017;8(1):1463

Agents: Ganciclovir **Vehicle:** Water; **Route:** SC; **Species:** Mice (nude); **Pump:** 2002; **Duration:** 14 days;

ALZET Comments: Dose (20 mg/kg/day); Controls received mp w/ vehicle; animal info (12 week old NMRI (nu/nu) mice);

Q5709: H. Williams, *et al.* Suppression of neointima formation by targeting beta-catenin/TCF pathway. *Bioscience Reports* 2016;36(6):

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** 2002; 2004; **Duration:** 21 days;

ALZET Comments: Controls received mp w/ PBS; animal info (C57BL6J); Dose (25 mg/kg/day);

Q4845: A. G. Kotini, *et al.* Escape Mutations, Ganciclovir Resistance, and Teratoma Formation in Human iPSCs Expressing an HSVtk Suicide Gene. *MOLECULAR THERAPY* 2016;5(**Agents:** Ganciclovir **Vehicle:** PBS; **Route:** SC; **Species:** Mice (NSG); **Pump:** 1007D; **Duration:** 2 weeks;

ALZET Comments: animal info (female, NSG, 8 weeks old); pumps replaced every week; cancer (teratoma); Dose (5 mg/kg/day);

Q5285: N. H. Varvel, *et al.* Replacement of brain-resident myeloid cells does not alter cerebral amyloid-beta deposition in mouse models of Alzheimer's disease. *J Exp Med* 2015;212(11):1803-9

Agents: Valganciclovir **Vehicle:** PBS; **Route:** CSF/CNS (ventricle); **Species:** mice; **Pump:** 2004; **Duration:** 2 weeks;

ALZET Comments: Controls received mp w/ vehicle; animal info (Female hemizygous TK mice crossed w/ male hemizygous APPPS1 or hemizygous APP23); ALZET brain infusion kit 3 used; good methods (pg. 11807); post op. care (paracetamol, i.p. 5 mg/kg daily; acetaminophen i.p. 5 mg/kg daily); brain tissue distribution; Dental cement used; Cannula placement verified via staining; anesthetized using ketamine and xylazine; Brain coordinates; from bregma: +0.1 mm anteroposterior, 1.0 mm lateral, and 2.5 mm dorsoventral; Dose (50 mg/ml);

Q4258: D. O. Seo, *et al.* Adult Hippocampal Neurogenesis Modulates Fear Learning through Associative and Nonassociative Mechanisms. *JOURNAL OF NEUROSCIENCE* 2015;35(11330-11345

Agents: Ganciclovir **Vehicle:** PBS; **Route:** CSF/CNS; **Species:** Mice; **Pump:** 1002; **Duration:** 2 weeks;

ALZET Comments: Control animals received mp w/ vehicle; animal info (8 wks old, DCX-TK transgenic, wt); ALZET brain infusion kit 3 used



Q4578: U. Schneider, *et al.* Microglia inflict delayed brain injury after subarachnoid hemorrhage. *Acta Neuropathologica* 2015;130(2):215-231

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** CSF/CNS; **Species:** Mice; **Pump:** Not Stated; **Duration:** 9 days;
ALZET Comments: Animal info (CD11b-HSVTK, 14-14 weeks old, 22-25g); ALZET brain infusion kit used; immunology; noted 230 ul reservoir;

Q4290: K. Rolon-Reyes, *et al.* Microglia Activate Migration of Glioma Cells through a Pyk2 Intracellular Pathway. *PLoS One* 2015;10(U2306-U2323)

Agents: Ganciclovir **Route:** CSF/CNS (intratumoral); **Species:** Mice (transgenic); **Pump:** 2004; **Duration:** 7 days;
ALZET Comments: Controls received mp w/ saline, normal; animal info (male, CD11b-HSVTK transgenic); ALZET brain infusion kit used; cancer (glioma GL261);

Q5254: S. Prokop, *et al.* Impact of peripheral myeloid cells on amyloid-beta pathology in Alzheimer's disease-like mice. *J Exp Med* 2015;212(11):1811-8

Agents: Ganciclovir **Vehicle:** CSF, artificial; **Route:** CSF/CNS (lateral ventricles); **Species:** Mice; **Pump:** 2001; **Duration:** 10 days;
ALZET Comments: Controls received mp w/ vehicle; animal info (APPPS1 transgenic mice); brain infusion cannula used; neurodegenerative (Alzheimer's); Dose (2.5 mg/ml); Therapeutic indication (Alzheimer's Disease);

Q4509: K. J. Dixon, *et al.* Endogenous Neural Stem/Progenitor Cells Stabilize the Cortical Microenvironment after Traumatic Brain Injury. *JOURNAL OF NEUROTRAUMA* 2015;32(7):753-764

Agents: Ganciclovir sodium **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** 1002; **Duration:** 4 weeks;
ALZET Comments: Controls received mp w/ vehicle; animal info (CD1 nestin TK, adult); pumps replaced every 2 weeks; behavioral testing (motor function/rotarod test); traumatic brain injury;

Q4373: K. O. Cho, *et al.* Aberrant hippocampal neurogenesis contributes to epilepsy and associated cognitive decline. *Nature Communications* 2015;6(U1-U13)

Agents: Ganciclovir **Vehicle:** Water, distilled; **Route:** SC; **Species:** Mice; **Pump:** 2004; **Duration:** 4 weeks;
ALZET Comments: Controls received mp w/ vehicle; animal info (C57BL6 or Nestin-TH, 6 weeks old); behavioral testing (epilepsy behavior, open field, memory); pumps removed after 4 weeks; epilepsy;

Q4340: M. L. Bustos, *et al.* Depletion of Bone Marrow CCSP-Expressing Cells Delays Airway Regeneration. *MOLECULAR THERAPY* 2015;23(5):61-69

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** Not Stated; **Duration:** 15 days;
ALZET Comments: Animal info (CCTk or WT);

Q3378: A. A. Swan, *et al.* Characterization of the Role of Adult Neurogenesis in Touch-Screen Discrimination Learning. *Hippocampus* 2014;24(15):1511-1591

Agents: Ganciclovir **Vehicle:** Saline, sterile; **Route:** SC; **Species:** Mice; **Pump:** 1004; **Duration:** 4 weeks;
ALZET Comments: Animal info (GFAP TK tg, wt); "prevent necrosis at the drug infusion site, the pumps were gently rotated within the subcutaneous space every other day." pg 1582

Q3618: N. Sachewsky, *et al.* Primitive Neural Stem Cells in the Adult Mammalian Brain Give Rise to GFAP-Expressing Neural Stem Cells. *STEM CELL REPORTS* 2014;2(8):810-824

Agents: Ganciclovir; Ara-C **Vehicle:** PBS; saline; **Route:** CSF/CNS; **Species:** Mice (transgenic); **Pump:** 1007D; **Duration:** 21 days; 7 days;
ALZET Comments: Animal info (GFAP-TK); ischemia (cerebral); 2% AraC; 200uM GCV;



Q3811: R. E. Bennett, *et al.* Acute Reduction of Microglia Does Not Alter Axonal Injury in a Mouse Model of Repetitive Concussive Traumatic Brain Injury. *Journal of Neurotrauma* 2014;31(1647-1663

Agents: Valganciclovir **Vehicle:** Saline, sterile; **Route:** Not Stated; **Species:** Mice; **Pump:** 1002; 2004; **Duration:** Not Stated; **ALZET Comments:** Controls received mp w/ vehicle; animal info (CD11b-TK +/-, 6-8 weeks); post op. care (antibacterial ointment; heating pad); cyanoacrylate adhesive; Cannula placement verified via histological analysis; used Plastics One Cannula; pumps primed at 37C for 36-48 hours; pumps removed after 7 days and reimplanted after two closed-skull injuries; traumatic brain injury;

Q3143: C. R. Sun, *et al.* Conditional Ablation of Neuroprogenitor Cells in Adult Mice Impedes Recovery of Poststroke Cognitive Function and Reduces Synaptic Connectivity in the Perforant Pathway. *Journal of Neuroscience* 2013;33(44):17314-17325

Agents: Ganciclovir **Vehicle:** Saline; **Route:** Not Stated; **Species:** Mice (transgenic); **Pump:** 2002; **Duration:** 4 weeks; 8 weeks; **ALZET Comments:** Controls received mp w/ vehicle; animal info (male, 6 weeks old); pumps replaced every 2 weeks; ischemia (stroke); behavioral testing (Barnes maze test, ladder test, cat walk test);

Q3079: J. O. Groves, *et al.* Ablating Adult Neurogenesis in the Rat Has No Effect on Spatial Processing: Evidence from a Novel Pharmacogenetic Model. *PLoS Genetics* 2013;9(9):U87-U102

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Rat (transgenic); **Pump:** 2ML4; **Duration:** 8 weeks; **ALZET Comments:** Controls received mp w/ vehicle; animal info (male, GFAP-TK, 8 weeks old); pumps replaced every 4 weeks; dose-response (p11); behavioral testing (Morris water maze, spatial working memory, food neophobia, anxiety tests, radial maze, open field); long-term study; ganciclovir aka DHPG;

Q3490: S. A. Grathwohl, *et al.* Replacement of osmotic minipumps to extend the intracerebral infusion time of compounds into the mouse brain. *Biosensors and Bioelectronics* 2013;55(2):75-78

Agents: Valganciclovir **Vehicle:** PBS; **Route:** CSF/CNS; **Species:** Mice; **Pump:** 2004; **Duration:** 2 weeks; 4 weeks;; **ALZET Comments:** Controls received mp w/ vehicle; animal info (male, hemizygous CD11b-HSVTK); ALZET brain infusion kit 3 used; post op. care (Paracetamol IP 5 mg/kg/day up to 3 days); Pumps primed in 37C PBS;

Q3057: M. L. Bustos, *et al.* Bone Marrow Cells Expressing Clara Cell Secretory Protein Increase Epithelial Repair After Ablation of Pulmonary Clara Cells. *MOLECULAR THERAPY* 2013;21(6):1251-1258

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** Not Stated; **Duration:** 5 days; 10 days; **ALZET Comments:** Animal info (CCtk, four month old, 24g); pumps used to induce symptoms

Q2151: X. M. Wang, *et al.* Conditional Depletion of Neurogenesis Inhibits Long-Term Recovery after Experimental Stroke in Mice. *PLoS One* 2012;7(6):U384-U391

Agents: Ganciclovir **Vehicle:** PBS; **Route:** Not Stated; **Species:** Mice (transgenic); **Pump:** 1003D; **Duration:** 14 days; **ALZET Comments:** Controls received mp w/ vehicle; animal info (HSV-TK Tg, CD1); incorrectly listed Model 1003D as 0.25 ul/hr; MCAO; ischemia (cerebral)

Q2437: F. Sun, *et al.* Ablation of Neurogenesis Attenuates Recovery of Motor Function after Focal Cerebral Ischemia in Middle-Aged Mice. *PLoS One* 2012;7(10):U92-U99

Agents: Ganciclovir **Vehicle:** PBS; **Route:** Not Stated; **Species:** Mice; **Pump:** Not Stated; **Duration:** 14 days; **ALZET Comments:** Control animals received mp w/ vehicle; animal info (DCX-TK+, DCX-TL-, 12 mo old, male); infusion rate of 0.25 ul/hr

Q5668: M. V. Sofroniew. Transgenic techniques for cell ablation or molecular deletion to investigate functions of astrocytes and other GFAP-expressing cell types. *Methods Mol Biol* 2012;814(531-44

Agents: Ganciclovir **Vehicle:** Saline; **Route:** SC; **Species:** Mice (transgenic); **Pump:** Not Stated; **Duration:** 7, 21, 42 days; **ALZET Comments:** animal info (mGFAP-TK mice, 30 grams); comparison of daily injections vs mp; Dose (10 mg/kg/day);

Q2625: Y. Niibori, *et al.* Suppression of adult neurogenesis impairs population coding of similar contexts in hippocampal CA3 region. *Nature Communications* 2012;3(3):U271-U277

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** 2002; **Duration:** Not Stated; **ALZET Comments:** Animal info (TK+, wt, 8 wks old)



- Q5387:** S. M. Lehmann, *et al.* An unconventional role for miRNA: let-7 activates Toll-like receptor 7 and causes neurodegeneration. *Nat Neurosci* 2012;15(6):827-35
Agents: Ganciclovir **Vehicle:** CSF, artificial; **Route:** CSF/CNS (ventricles); **Species:** Mice; **Pump:** 2001; **Duration:** 10 days;
ALZET Comments: Controls received mp w/ vehicle; animal info (C57Bl/6J-CD11b-HSVTK mice); functionality of mp verified by brain samples; brain infusion kit used; neurodegenerative (Alzheimer's Disease); Ablation of microglia done through administration of Ganciclovir; Dose (2 mg/mL);
- Q2403:** J. Chen, *et al.* A restricted cell population propagates glioblastoma growth after chemotherapy. *Nature* 2012;488(7412):522-U121
Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** Not Stated; **Species:** Mice; **Pump:** 2002; 2004; **Duration:** 10 weeks;
ALZET Comments: Control animals received mp w/ PBS; animal info (Mut7, 8-10 wks old); pumps replaced every 4 weeks; long-term study; cancer (glioblastoma)
- Q2315:** E. Butti, *et al.* Subventricular zone neural progenitors protect striatal neurons from glutamatergic excitotoxicity. *Brain* 2012;135(5):3320-3335
Agents: Ganciclovir; ara-C; HU210 **Vehicle:** Water, distilled; PBS; DMSO; Tween; URB597; **Route:** SC; CSF/CNS; CSF/CNS (striatum); **Species:** Mice; **Pump:** 2002; 1007D; **Duration:** 7, 28 days;
ALZET Comments: Animal info (NestinGFPfloxTK); pumps replaced after 14 days; brain infusion kit 3 used; incorrectly listed Model 1007; enzyme inhibitor (fatty acid amid hydrolase); HU210 is a cannabinoid receptor agonist
- Q2952:** N. S. Burghardt, *et al.* Adult-born hippocampal neurons promote cognitive flexibility in mice. *Hippocampus* 2012;22(9):1795-1808
Agents: Ganciclovir **Vehicle:** Saline; **Route:** SC; **Species:** Mice; **Pump:** Not Stated; **Duration:** 56 days;
ALZET Comments: Controls received mp w/ ganciclovir; animal info (male, 129Sv/Ev, 23-27wks old; GFAP-TK transgenic); multiple pumps used (2); behavioral testing (p.1796)
- Q1910:** M. E. Bernard, *et al.* Repopulation of the Irradiation Damaged Lung with Bone Marrow-derived Cells. *In Vivo* 2012;26(1):9-18
Agents: Ganciclovir **Vehicle:** Saline, normal; **Route:** SC; **Species:** Mice (transgenic); **Pump:** Not Stated; **Duration:** 24 hours;
ALZET Comments: Controls received mp w/ vehicle; animal info (FVB/NHsd, HSV-TK-CCSP transgenic littermates, 6-10 wks)
- Q0783:** H. Y. Zhai, *et al.* Microglia/Macrophages Promote Glioma Progression. *Glia* 2011;59(3):472-485
Agents: Ganciclovir; macrophage/microglia inhibitory factor; tuftsin **Vehicle:** Not Stated; **Route:** CSF/CNS (intratumoral); **Species:** Mice; **Pump:** Not Stated; **Duration:** 14, 28 days;
ALZET Comments: Negative controls received mp w/ saline; animal info (12-16 wks old, male, CD11b-HSVTK +/-, 25-30 g, C57BL/6); cancer (glioma); Plastics One guide cannula used; macrophage/microglia inhibitory factor also known as MIF/TKP is a tripeptide; tuftsin also known as threonine-lysine-proline-arginin or TKPR
- Q1416:** J. Yong, *et al.* Multimodality Imaging of beta-Cells in Mouse Models of Type 1 and 2 Diabetes. *Diabetes* 2011;60(5):1383-1392
Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** Not Stated; **Duration:** 14 days;
ALZET Comments: Animal info (C57BL/6 MIP-TF, 8 wks old)
- Q0942:** J. Wright, *et al.* Age-Related Changes in the Oligodendrocyte Progenitor Pool Influence Brain Remodeling after Injury. *Developmental Neuroscience* 2011;32(5-6):499-509
Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** 1002; **Duration:** 2 weeks;
ALZET Comments: Controls received mp w/ distilled water; animal info (P14, 2 wks old)
- Q1400:** J. P. Wisor, *et al.* Cerebral microglia mediate sleep/wake and neuroinflammatory effects of methamphetamine. *Brain, Behavior, and Immunity* 2011;25(4):767-776
Agents: Ganciclovir **Vehicle:** HCl; saline; **Route:** CSF/CNS; **Species:** Mice; **Pump:** 2004; **Duration:** 30 days;
ALZET Comments: Controls received mp w/ vehicle; animal info (CD11b-TKmt-30, tg); incorrectly listed Model 2004 rate as 2.5 ul/hr



Q1952: L. Wei, *et al.* Affiliative Behavior Requires Juvenile, But Not Adult Neurogenesis. *Journal of Neuroscience* 2011;31(40):14335-14345

Agents: Ganciclovir **Vehicle:** PBS, sterile; **Route:** SC; CSF/CNS; **Species:** Mice (transgenic); **Pump:** 2004; 1004; **Duration:** Not Stated;

ALZET Comments: Animal info (TK-GFP); brain infusion kit 3 used; "the skull was dried with acetone" pg 14336

Q1697: L. Van Landeghem, *et al.* Enteric glia promote intestinal mucosal healing via activation of focal adhesion kinase and release of proEGF. *American Journal of Physiology Gastrointestinal and Liver Physiology* 2011;300(6):G976-G987

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** Not Stated; **Duration:** 7 days;

ALZET Comments: Animal info (GFAP-HSVtk Tg, 22 wks old)

Q1112: H. Han, *et al.* Synergistic effects of galectin-1 and reactive astrocytes on functional recovery after contusive spinal cord injury. *Archives of Orthopaedic and Trauma Surgery* 2011;131(6):829-839

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Rat; **Pump:** 1007D; **Duration:** Not Stated;

ALZET Comments: Animal info (16-18 wks old)

Q0695: C. A. Blaiss, *et al.* Temporally Specified Genetic Ablation of Neurogenesis Impairs Cognitive Recovery after Traumatic Brain Injury. *Journal of Neuroscience* 2011;31(13):4906-4916

Agents: Ganciclovir **Vehicle:** Water, deionized; **Route:** SC; **Species:** Mice; **Pump:** 2002; **Duration:** 2 weeks; 30 days;

ALZET Comments: Controls received mp w/ vehicle; animal info (6 wks old, male, wild-type, nestin-HSV-tk); wound clips used; behavioral testing (Morris water maze, fear conditioning)

Q2223: K. Arnold, *et al.* Sox2(+) Adult Stem and Progenitor Cells Are Important for Tissue Regeneration and Survival of Mice. *Cell Stem Cell* 2011;9(4):317-329

Agents: Ganciclovir **Vehicle:** Saline; **Route:** SC; **Species:** Mice; **Pump:** Not Stated; **Duration:** 1, 2 weeks;

ALZET Comments: Animal info (Sox2-TK, wt, 3, 10-wks old); 7 or 14 day pumps used

Q0507: M. M. Mirrione, *et al.* Microglial ablation and lipopolysaccharide preconditioning affects pilocarpine-induced seizures in mice. *NEUROBIOLOGY OF DISEASE* 2010;39(1):85-97

Agents: Ganciclovir **Vehicle:** Saline; PBS; **Route:** CSF/CNS (hippocampus); **Species:** Mice; **Pump:** 1002; **Duration:** 7 days;

ALZET Comments: Controls received mp w/ vehicle; post op. care (buprenorphine HCl); animal info (CD1 1b-, HSVtk +/-, wt, male, female, adult, 20-25 g); Plastics One guide cannula used

P9957: K. L. Jin, *et al.* Transgenic ablation of doublecortin-expressing cells suppresses adult neurogenesis and worsens stroke outcome in mice. *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA* 2010;107(17):7993-7998

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** CSF/CNS; **Species:** Mice (transgenic); **Pump:** 1002; **Duration:** 14 days;

ALZET Comments: Controls received mp w/ saline; animal info (DCX-Tk); incorrectly stated 1003D pumps used

Q0771: G. J. Huang, *et al.* A Genetic and Functional Relationship between T Cells and Cellular Proliferation in the Adult Hippocampus. *PLOS BIOLOGY* 2010;8(12):U107-U116

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** CSF/CNS; **Species:** Mice; **Pump:** 2004; **Duration:** 4 weeks;

ALZET Comments: Animal info (GFAP-tk, nestin-tk); ALZET brain infusion kit 3 used

P9471: A. C. Zemke, *et al.* Molecular Staging of Epithelial Maturation Using Secretory Cell-Specific Genes as Markers. *American Journal of Respiratory Cell and Molecular Biology* 2009;40(3):340-348

Agents: Ganciclovir **Vehicle:** Saline; **Route:** Not Stated; **Species:** Mice (transgenic); **Pump:** 2002; **Duration:** 6, 9 days;

ALZET Comments: Controls received no treatment; animal info (male, CCSP-HSVtk, 8-10 wks old); airway injury model

P9511: R. Uchibori, *et al.* Retroviral vector-producing mesenchymal stem cells for targeted suicide cancer gene therapy. *JOURNAL OF GENE MEDICINE* 2009;11(5):373-381

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** IP; **Species:** Mice (nude); **Pump:** Not Stated; **Duration:** 28 days;

ALZET Comments: Controls received mp w/ PBS; animal info (6 wks old, male, Balb/c, nu/nu); gene therapy



P9836: R. M. Teisanu, *et al.* Prospective Isolation of Bronchiolar Stem Cells Based Upon Immunophenotypic and Autofluorescence Characteristics. *Stem Cells* 2009;27(3):612-622

Agents: Ganciclovir **Vehicle:** PBS; **Route:** Not Stated; **Species:** Mice (transgenic); **Pump:** 2001D; **Duration:** 24 hours;
ALZET Comments: Animal info (2-6 months old, CCSP-HSV+k)

P9446: J. C. Snyder, *et al.* Reparative Capacity of Airway Epithelium Impacts Deposition and Remodeling of Extracellular Matrix. *American Journal of Respiratory Cell and Molecular Biology* 2009;40(6):633-642

Agents: Ganciclovir **Vehicle:** Saline, pyrogen free; **Route:** Not Stated; **Species:** Mice (transgenic); **Pump:** 2002; **Duration:** 3, 6, 9, 10 days;

ALZET Comments: Controls received no treatment; animal info (adult, FVB/N CcTK); airway injury model

P9804: B. H. Singer, *et al.* Conditional Ablation and Recovery of Forebrain Neurogenesis in the Mouse. *Journal of Comparative Neurology* 2009;514(6):567-582

Agents: Ganciclovir **Vehicle:** Saline; **Route:** CSF/CNS; **Species:** Mice; **Pump:** 2004; **Duration:** 28 days;

ALZET Comments: Controls received mp w/ vehicle; no stress (572); ALZET brain infusion kit 3 used; animal info (8-12 wks old, Nestin tk⁺. wt); "we did not observe any differences in the overt behavior of wild-type or nestin-tk⁺ mice, and there was no mortality following GCV administration." pg 572

Q0815: R. D. Madison, *et al.* SCHWANN CELL INFLUENCE ON MOTOR NEURON REGENERATION ACCURACY. *Neuroscience* 2009;163(1):213-221

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** 1007D; **Duration:** 7 days;

ALZET Comments: Controls received mp w/ saline; animal info (TK, male, female, 20-22 g); incorrectly listed Model 1007 used

P9704: S. Kaneko, *et al.* IL-7 and IL-15 allow the generation of suicide gene-modified alloreactive self-renewing central memory human T lymphocytes. *Blood* 2009;113(5):1006-1015

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice (NOD/SCID); **Pump:** Not Stated; **Duration:** 7 days;

ALZET Comments: Controls received mp w/PBS; animal info (6-8 wks old, female, NOD/Scid); "ALZET pumps...were implanted subcutaneously to ensure drug release at a constant rate" pg 1008

P9232: T. S. Yu, *et al.* Traumatic Brain Injury-Induced Hippocampal Neurogenesis Requires Activation of Early Nestin-Expressing Progenitors. *Journal of Neuroscience* 2008;28(48):12901-12912

Agents: Ganciclovir **Vehicle:** Water, deionized; **Route:** SC; **Species:** Mice (transgenic); **Pump:** 2002; **Duration:** 4, 5 weeks;

ALZET Comments: Controls received mp w/ vehicle; pumps replaced every 2 weeks; animal info (C57BL/6, 6 wks old, dHSV-TK, wt, brain injury (CC1))

P9379: G. Gowing, *et al.* Ablation of Proliferating Microglia Does Not Affect Motor Neuron Degeneration in Amyotrophic Lateral Sclerosis Caused by Mutant Superoxide Dismutase. *Journal of Neuroscience* 2008;28(41):10234-10244

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** CSF/CNS (intrathecal); **Species:** Mice (transgenic); **Pump:** 2004; **Duration:** 30 days;

ALZET Comments: Controls received mp w/ saline; animal info (CD11b-Tkmt-30-SOD1G93A Tg, 85 days old); neurodegenerative (ALS); IP injection of ganciclovir given 24 hours before and during mp implantation surgery; behavioral testing (hindlimb reflex); "chronic and systemic injection of the nucleoside analog ganciclovir is lethal for CD11b-Tkmt30 transgenic mice, and ganciclovir is not highly diffusible within CNS tissue... To overcome this constraint, we proceeded with direct delivery of ganciclovir to the spinal cord via an osmotic pump connected to a cannula located in the intrathecal space." (p. 10240)

P8782: S. Giraud, *et al.* Transient depletion of dividing T lymphocytes in mice induces the emergence of regulatory T cells and dominant tolerance to islet allografts. *American Journal of Transplantation* 2008;8(5):942-953

Agents: Ganciclovir **Vehicle:** Water, pyrogen-free; **Route:** SC; **Species:** Mice; Mice (transgenic); **Pump:** 2001; 2002; **Duration:** 7, 14 days;

ALZET Comments: STZ-induced diabetes, animal info (FVB EpCD4TK, FVB/N, B6 islet allograft, skin allograft)



P8323: M. A. Shibata, *et al.* Electrogenic therapy using endostatin, with or without suicide gene therapy, suppresses murine mammary tumor growth and metastasis. *Cancer Gene Therapy* 2007;14(3):268-278

Agents: Ganciclovir **Vehicle:** Saline; **Route:** SC; **Species:** Mice; **Pump:** 2002; **Duration:** 8 weeks;

ALZET Comments: Controls received mp w/ agent and empty control vector; pumps replaced every 14 days; no stress (see pg. 271); cancer (mammary adenocarcinoma); animal info (BALB/C, female, 20-24 grams)

P8243: M. D. Saxe, *et al.* Paradoxical Influence of hippocampal neurogenesis on working memory. *Proceedings of the National Academy of Sciences* 2007;104(11):4642-4646

Agents: Ganciclovir **Vehicle:** Saline, sterile; **Route:** SC; **Species:** Mice (transgenic); **Pump:** 2004; **Duration:** 8 weeks;

ALZET Comments: Controls received mp w/ agent but did not contain GFAP-Tk Tg; pumps replaced after 4 weeks, with 2 weeks in between implantations; no stress (see pg. 4643); animal info (male, C57BL/6-BALB/C, 12-20 weeks old); "Because this system has previously been shown to cause gastrointestinal toxicity at high doses (16), we delivered a constant low dose of GCV for several weeks via SC osmotic minipumps...This modification achieved a nearly complete reduction in hippocampal neurogenesis...but resulted in no effects on activity, body weight, food consumption, or (GI) pathology." (p. 4643)

P8865: M. Kobayashi, *et al.* Tissue-targeted in vivo gene transfer coupled with histone deacetylase inhibitor depsipeptide (FK228) enhances adenoviral infection in rat renal cancer allograft model systems. *Urology* 2007;70(6):1230-1236

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** IP; **Species:** Rat; **Pump:** Not Stated; **Duration:** 7 days;

ALZET Comments: Gene therapy; animal info (male, ACI, 6-8 wks old)

P8110: Y. Iwasaki, *et al.* Gene therapy of liver tumors with human liver-specific nanoparticles. *Cancer Gene Therapy* 2007;14(1):74-81

Agents: Ganciclovir **Vehicle:** Water, sterile; **Route:** SC; **Species:** Rat (nude); **Pump:** Not Stated; **Duration:** 12 days;

ALZET Comments: Controls received mp w/ agent and plasmid w/out gene therapy gene; no stress (see p.78); cancer (liver); gene therapy; animal info (male, F344/N, nu/nu, 5 wks old, 180g., NuE hepatic tumors); GCV acts as pro-drug for HSV-tk expression plasmid gene therapy

P7923: A. R. Simard, *et al.* Bone marrow-derived microglia play a critical role in restricting senile plaque formation in Alzheimer's disease. *Neuron* 2006;49(4):489-502

Agents: Ganciclovir **Vehicle:** Saline; HCL; **Route:** CSF/CNS; **Species:** Mice (transgenic); **Pump:** 2004; **Duration:** 28 days;

ALZET Comments: Controls received mp w/ vehicle; ALZET brain infusion kit 3 used; neurodegenerative (Alzheimer's disease); animal info (15-24 weeks old)

P8337: M. D. Saxe, *et al.* Ablation of hippocampal neurogenesis impairs contextual fear conditioning and synaptic plasticity in the dentate gyrus. *Proceedings of the National Academy of Sciences* 2006;103(46):17501-17506

Agents: Ganciclovir **Vehicle:** Saline, sterile; **Route:** SC; **Species:** Mice (transgenic); **Pump:** Not Stated; **Duration:** 6 weeks;

ALZET Comments: Animal info (male, C57BL/6, BALB/C, 12-20 weeks old)

P8074: D. J. Myer, *et al.* Essential protective roles of reactive astrocytes in traumatic brain injury. *Brain* 2006;129(2761-2772)

Agents: Ganciclovir **Vehicle:** Saline, sterile physiological; **Route:** SC; **Species:** Mice (transgenic); Mice; **Duration:** 7 days;

ALZET Comments: Animal info (C57BL/6, wt or GFAP-TK Tg, contusion injury by controlled cortical impact); traumatic brain injury

P7936: A. Bondanza, *et al.* Suicide gene therapy of graft-versus-host disease induced by central memory human T lymphocytes. *Blood* 2006;107(5):1828-1836

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice (NOD/SCID); **Pump:** 2001; **Duration:** 7 days;

ALZET Comments: Controls received mp w/ saline; animal info (female, NOD/SCID, 6-8 weeks old, GvHD); gene therapy

P7655: M. Ito, *et al.* Stem cells in the hair follicle bulge contribute to wound repair but not to homeostasis of the epidermis. *Nature Medicine* 2005;11(12):1351-1354

Agents: Ganciclovir **Vehicle:** Saline, sterile; **Route:** SC; **Species:** Mice (SCID); **Pump:** 2002; **Duration:** 2 weeks;

ALZET Comments: Controls received mp w/ vehicle; comparison of SC injections vs. mp; animal info (Krt 1-15-HSV-TK transgenic skin grafted onto CB17I cr-scid/scid)



P6992: D. Wolfe, *et al.* Safety and biodistribution studies of an HSV multigene vector following intracranial delivery to non-human primates. *Gene Therapy* 2004;11(23):1675-1684

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Monkey (Rhesus); **Pump:** 2ML1; 2ML2; **Duration:** 4,5,34,35 days; **ALZET Comments:** Pumps replaced after 2 weeks; no stress (see pg. 1677); cancer (glioblastoma); toxicology; MRI; multiple pumps per animal (2); gene therapy

P6886: S. D. Reynolds, *et al.* Airway injury in lung disease pathophysiology: selective depletion of airway stem and progenitor cell pools potentiates lung inflammation and alveolar dysfunction. *American Journal of Physiology Lung Cellular and Molecular Physiology* 2004;287(6):L1256-L1265

Agents: Ganciclovir **Vehicle:** Saline; **Route:** Not Stated; **Species:** Mice (transgenic); **Pump:** Not Stated; **Duration:** 6,14 days; **ALZET Comments:** Controls received mp w/ vehicle; comparison of acute GCV vs. mp; no stress (see pg. L1262); "No evidence of infection at the pump insertion site, pneumonia or sepsis was noted in mice in either exposure protocol, at any time point." (p. L1262)

P6734: K. U. Hong, *et al.* Basal cells are a multipotent progenitor capable of renewing the bronchial epithelium. *American Journal of Pathology* 2004;164(2):577-588

Agents: Ganciclovir; uridine, bromodeoxy- **Vehicle:** Saline; **Route:** SC; **Species:** Mice (transgenic); **Pump:** 2002; **Duration:** 8 days, 24 hours;

ALZET Comments: Controls received mp w/ BrdU; 2002 pump used for 8 days of BrdU infusion; GCV infused for 24 hours

P6504: J. R. Faulkner, *et al.* Reactive astrocytes protect tissue and preserve function after spinal cord injury. *Journal of Neuroscience* 2004;24(9):2143-2155

Agents: Ganciclovir **Vehicle:** Saline, sterile physiological; **Route:** SC; **Species:** Mice (transgenic); **Pump:** Not Stated; **Duration:** 7 days;

ALZET Comments: Controls received mp w/ vehicle

P6238: C. M. Morshead, *et al.* The ablation of glial fibrillary acidic protein-positive cells from the adult central nervous system results in the loss of forebrain neural stem cells but not retinal stem cells. *European Journal of Neuroscience* 2003;18(1):76-84

Agents: Ganciclovir **Vehicle:** Saline, physiological; **Route:** CSF/CNS; **Species:** Mice (transgenic); **Pump:** 1007D; **Duration:** 3 days;

ALZET Comments: Controls received mp w/ vehicle

P5657: M. Herraiz, *et al.* Liver failure caused by herpes simplex virus thymidine kinase plus ganciclovir therapy is associated with mitochondrial dysfunction and mitochondrial DNA depletion. *Human Gene Therapy* 2003;14(5):463-472

Agents: Ganciclovir **Vehicle:** Saline; **Route:** IP; **Species:** Rat; **Pump:** 2ML2; **Duration:** 3,7,10 days;

ALZET Comments: Controls received mp w/ saline; gene therapy

P5596: F. Doetsch, *et al.* EGF converts transit-amplifying neurogenic precursors in the adult brain into multipotent stem cells. *Neuron* 2002;36(6):1021-1034

Agents: Epidermal growth factor; Ganciclovir **Vehicle:** Saline; BSA; PBS; **Route:** CSF/CNS; **Species:** Mice; **Pump:** 1007D; 1002; **Duration:** 7 hours; 6 days;

ALZET Comments: Controls received mp w/ vehicle; Gene therapy; peptides; EGF was diluted in BSA-containing saline and infused for 7 hours, or 6 days in 1007D pumps; Ganciclovir was diluted in PBS and infused for 6 days via 1002 pumps

Q7394: Y. Zhou, *et al.* Ablation of pituitary pro-opiomelanocortin (POMC) cells produces alterations in hypothalamic POMC mRNA levels and midbrain mu opioid receptor binding in a conditional transgenic mouse model. *Journal of Neuroendocrinology* 2001;13(9):808-17

Agents: sodium ganciclovir **Vehicle:** Saline; **Route:** SC; **Species:** Mice; **Pump:** 2001; **Duration:** 1 week;

ALZET Comments: Dose (190 mg/kg/day); Controls received mp w/ vehicle; animal info (adult, male, TK+/+); sodium ganciclovir aka Cytovene is an antiherpes agent; subsequent booster injections of 100 mg/kg ganciclovir, three times per week, for 1-2 weeks after 1 week of osmotic pump delivery;



Q7710: K. L. von Eckardstein, *et al.* Short-term neuropathological aspects of in vivo suicide gene transfer to the F98 rat glioblastoma using liposomal and viral vectors. *Histol Histopathol* 2001;16(3):735-44

Agents: Ganciclovir **Vehicle:** Saline; **Route:** CSF/CNS; **Species:** Rat; **Pump:** Not Stated; **Duration:** 14 days;

ALZET Comments: Dose (100 mg/kg/d); Controls received mp w/ vehicle; animal info (Adult, Male, Fischer); Ganciclovir aka GCV; ALZET brain infusion kit 3-5 used; Brain coordinates (2.6 mm lateral and 1.0 mm frontal to the bregma, 5.0 mm deep); cancer (Glioblastoma);

Q6848: J. Liu, *et al.* Selective T-cell subset ablation demonstrates a role for T1 and T2 cells in ongoing acute graft-versus-host disease: a model system for the reversal of disease. *Blood* 2001;98(12):3367-3375

Agents: Ganciclovir **Vehicle:** PBS; **Route:** SC; **Species:** Mice (transgenic); **Pump:** 2004; **Duration:** 28 days;

ALZET Comments: Dose (3.75 mg/d); Controls received mp w/ vehicle; animal info (Six- to 8-week-old AKR and B10.BR male mice);

Q7553: K. U. Hong, *et al.* Clara cell secretory protein-expressing cells of the airway neuroepithelial body microenvironment include a label-retaining subset and are critical for epithelial renewal after progenitor cell depletion. *American Journal of Respiratory Cell and Molecular Biology* 2001;24(6):671-81

Agents: ganciclovir; uridine, bromodeoxy-; Thymidine, 3H- **Vehicle:** Saline; **Route:** SC; **Species:** Mice; **Pump:** 2001D; **Duration:** 24 hours; 8 days; 9 days;

ALZET Comments: Dose ((ganciclovir 10 mg/day), (BrdU 20 mg/ml at 0.5µl/h), ([3H]-TdR 1 mCi/ml)); Controls received mp w/ vehicle; animal info (2-4-months, male, CCtk transgenic); "GCV pumps were removed at Day 2 of recovery and replaced with 14-d miniosmotic pumps delivering 0.5µl/h of sterile 20 mg/ml BrdU in normal saline solution. Animals were killed on Day 10 of recovery (continuous labeling for 8 d)." p.672;

P4512: V. Thomas-Vaslin, *et al.* Prolonged allograft survival through conditional and specific ablation of alloreactive T cells expressing a suicide gene. *Transplantation* 2000;69(10):2154-2161

Agents: Ganciclovir **Vehicle:** Water; **Route:** SC; **Species:** Mice (transgenic); **Pump:** 2001; 2002; **Duration:** 7, 14 days;

ALZET Comments: Functionality of mp verified by ganciclovir plasma levels by liquid chromatography; immunology; transplantation

P5767: S. D. Reynolds, *et al.* Conditional clara cell ablation reveals a self-renewing progenitor function of pulmonary neuroendocrine cells. *American Journal of Physiology Lung Cellular and Molecular Physiology* 2000;278(6):L1256-L1263

Agents: Ganciclovir **Vehicle:** Saline; **Route:** Not Stated; **Species:** Mice (transgenic); **Pump:** Not Stated; **Duration:** 6, 12 days;

ALZET Comments: Controls received mp w/ vehicle; gene therapy

P4580: T. G. Bush, *et al.* Leukocyte infiltration, neuronal degeneration, and neurite outgrowth after ablation of scar-forming, reactive astrocytes in adult transgenic mice. *Neuron* 1999;23(297-308)

Agents: Ganciclovir; memantine **Vehicle:** Saline, sterile physiological; **Route:** SC; **Species:** Mice (transgenic); **Pump:** Not Stated; **Duration:** 7, 14 days;

ALZET Comments: gene therapy; ganciclovir infused for 7 days; memantin infused for 14 days

Q5560: B. Lambrecht. Dendritic cells are required for the development of chronic eosinophilic airway inflammation in response to inhaled antigen in sensitized mice. *Journal of Immunology* 1998;160(8):4090-4097

Agents: Ganciclovir **Vehicle:** PBS; **Route:** SC; **Species:** Mice (transgenic); **Pump:** 2001; **Duration:** 7 days;

ALZET Comments: Controls received mp w/ vehicle (PBS); Immunology (Eosinophilic Airway Inflammation); Therapeutic indication (Asthma); Dose (50 mg/kg/day)

P4579: T. G. Bush, *et al.* Fulminant jejuno-ileitis following ablation of enteric glia in adult transgenic mice. *Cell* 1998;93(189-201)

Agents: Ganciclovir **Vehicle:** Saline, sterile physiological; **Route:** SC; **Species:** Mice (transgenic); **Pump:** 2004; 2001; 2002; 1007D; **Duration:** 7, 14, 28 days;

ALZET Comments: Controls received no treatment; gene therapy



P4467: J. L. Cohen, *et al.* Prevention of graft-versus-host disease in mice using a suicide gene expressed in T lymphocytes. *Blood* 1997;89(12):4636-4645

Agents: Ganciclovir **Vehicle:** PBS; **Route:** SC; **Species:** Mice; **Pump:** 2001; **Duration:** 7 days;

ALZET Comments: Controls received mp w/vehicle; functionality of mp verified by plasma levels; comparison of IP injections vs. mp; immunology; Gene therapy

P3921: S. Benedetti, *et al.* Limited efficacy of the hsv-tk/gcv system for gene therapy of malignant gliomas and perspectives for the combined transduction of the interleukin-4 gene. *Human Gene Therapy* 1997;8(1345-1353)

Agents: Ganciclovir **Vehicle:** Water; **Route:** Not Stated; **Species:** Rat; Mice (nude); **Pump:** 2002; 2ML2; **Duration:** 2 weeks;

ALZET Comments: Comparison of IP injections vs. mp; cancer; gene therapy

P3574: M. Franken, *et al.* Epstein-barr virus-driven gene therapy for EBV-related lymphomas. *Nature Medicine* 1996;2(12):1379-1382

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** Not Stated; **Species:** Mice (SCID); **Pump:** Not Stated; **Duration:** 7 days;

ALZET Comments: Controls received p w/ saline; comparison of ip injections vs. mp; cancer; gene therapy

P3047: H. Wallace, *et al.* Consequences of thyroid hormone deficiency induced by the specific ablation of thyroid follicle cells in adult transgenic mice. *J. Endocrinol* 1994;143(107-120)

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** Not Stated; **Species:** Mice; **Pump:** 2002; **Duration:** 14 days;

ALZET Comments: Controls received mp with PBS; comparison of ip injections vs. mp

P2284: P. T. Golumbek, *et al.* Herpes simplex-1 virus thymidine kinase gene is unable to completely eliminate live, nonimmunogenic tumor cell vaccines. *J. Immunother* 1992;12(224-230)

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** mice; **Pump:** 2002; **Duration:** 2, 4 weeks;

ALZET Comments: Controls received mp w/vehicle; pumps replaced; immunology; Gene therapy

P2129: H. Wallace, *et al.* Specific ablation of thyroid follicle cells in adult transgenic mice. *Endocrinology* 1991;129(6):3217-3226

Agents: Ganciclovir **Vehicle:** Not Stated; **Route:** SC; **Species:** Mice; **Pump:** 2002; **Duration:** 14 days;

ALZET Comments: Controls received mp with saline; also called DHPG